


# PLUG RJ45 8P8C C5E STRAND UTP 10PK

Part Number: 0688RST-X



## Features

- Modular RJ plug for cat5e data applications
- High quality pin with 50um gold plating
- Low contact resistance
- ACA approved
- Max Conductor O.D range 1.0mm

Modular Plug RJ45 - 8P8C Round Stranded 10Pk

### Technical Data

- ò ACA approved
- ò 50Ám gold plated pins
- ò UL94-V2 Polycarbonate flame retardant housing
- ò Cross talk capability 250MHz
- ò UL listed under UL 136825
- ò Exceed TIA/EIA-568 requirements for CAT5

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

ò Exceed NEXT requirements for CAT5

## Ordering Information

Part No. Description Pack Qty Special Packing or Style

### Flat Stranded

0644FST-CRJ11-4P4C100-

0644FST-XRJ11-4P4C10-

0664FST-CRJ12-6P4C100-

0664FST-XRJ12-6P4C10-

0666FST-CRJ12-6P6C100-

0666FST-XRJ12-6P6C10-

0688FST-CRJ45-8P8C100-

0688FST-JRJ45-8P8C100Jar Pack

0688FST-XRJ45-8P8C10-

### Round Stranded

0644RST-CRJ11-4P4C100-

0644RST-XRJ11-4P4C10-

0664RST-CRJ12-6P4C100-

0664RST-XRJ12-6P4C10-

0666RST-CRJ12-6P6C100-

0666RST-XRJ12-6P6C10-

0688RST-CRJ45-8P8C100-

0688RST-JRJ45-8P8C100Jar Pack

0688RST-XRJ45-8P8C10-

0688RSST-XRJ45-8P8C10Sheilded

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.

06882RST-XRJ45-8P8C102 Piece

Round Solid

0644RSL-CRJ11-4P4C100-

0644RSL-XRJ11-4P4C10-

0664RSL-CRJ12-6P4C100-

0664RSL-XRJ12-6P4C10-

0666RSL-CRJ12-6P6C100-

0666RSL-XRJ12-6P6C10-

0688RSL-CRJ45-8P8C100-

0688RSL-JRJ45-8P8C100Jar Pack

0688RSL-XRJ45-8P8C10-

0688RSSL-XRJ45-8P8C10Sheilded

## **Additional Information**

### **A-Tick**

[Download A-Tick](#)

In support of our policy of continuous product improvement we reserve the right to change materials and specifications without notice. Drawings, where used, are not to scale. All dimensions are in millimetres and sizes given are approximate. Where possible, technical MSDS data sheets are made available on the website. All products should be installed and used in accordance with manufacturer's instructions provided. Warning: products may be the subject of registered designs and patents. Refer to website for terms and conditions on warranty.