


NEUTRAL/ACTIVE LINKS

Black/Red Base and Cover



Nationalnls®

NATIONAL LIGHT SOURCES PTY LTD
www.nslight.com.au

Types:

- Neutral – Black Housing
- Active – Red Housing

Features:

- Available in 100A, 140A, 165A, 350A and 370A
- Double row copper/brass metal link
- Accommodates multiple cable sizes
- Metal screw lid cover

Materials:


- Solid brass metal link and screw
- Plastic material cover and base

Standards:

- **AS/NZS3000**

Contents:

- 350A and 370A links include Allen key for 150mm² cable terminal





5 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 100A 5 Hole Link

3 Terminals: 5.5mm – Accommodates up to 16mm² cables

2 Terminals: 8.0mm – Accommodates up to 25mm² cables

Neutral/Black: 30037NLS | **Active/Red: 30041NLS**



7 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 100A 7 Hole Link

5 Terminals: 4.8mm – Accommodates up to 16mm² cables

2 Terminals: 8.0mm – Accommodates up to 25mm² cables

Neutral/Black: 30038NLS | **Active/Red: 30042NLS**




10 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 100A 10 Hole Link

7 Terminals: 5.5mm – Accommodates up to 16mm² cables

3 Terminals: 7.6mm – Accommodates up to 25mm² cables

Neutral/Black: 30039NLS | **Active/Red: 30043NLS**



12 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 100A 12 Hole Link

8 Terminals: 4.5mm – Accommodates up to 10mm² cables

4 Terminals: 6.4mm – Accommodates up to 16mm² cables

Neutral/Black: 30040NLS | **Active/Red: 30044NLS**



14 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 100A 14 Hole Link

10 Terminals: 4.5mm – Accommodates up to 10mm² cables

4 Terminals: 7.5mm – Accommodates up to 16mm² cables

Neutral/Black: 30403NLS | **Active/Red: 30404NLS**



4 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base + Cover

500V 140A 4 Hole 'T' Link

3 Terminals: 7.0mm – Accommodates up to 25mm² cables

1 Terminal: 8.5mm – Accommodates up to 35mm² cables

Neutral/Black: 30285NLS | **Active/Red: 30286NLS**



7 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base & Cover

500V 165A 7 Hole Link

2 Terminals: 2.5mm – Accommodates up to 16mm² cables

2 Terminals: 7.0mm – Accommodates up to 25mm² cables

1 Terminal: 8.0mm – Accommodates up to 35mm² cables

2 Terminals: 10.0mm – Accommodates up to 50mm² cables

Neutral/Black: 30287NLS | **Active/Red: 30288NLS**



13 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base & Cover

500V 165A 13 Hole Link

2 Terminals: 4.8mm – Accommodates up to 10mm² cables

8 Terminals: 6.6mm – Accommodates up to 16mm² cables

1 Terminal: 8.0mm – Accommodates up to 35mm² cables

2 Terminals: 10.0mm – Accommodates up to 50mm² cable

Neutral/Black: 30289NLS | **Active/Red: 30290NLS**

7 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base & Cover



500V 350A 7 Hole Link

- 1 Terminal: 5.5mm – Accommodates up to 16mm² cables
 - 2 Terminals: 8.0mm – Accommodates up to 35mm² cables
 - 2 Terminals: 9.5mm – Accommodates up to 50mm² cables
 - 2 Terminals: 15.3mm – Accommodates up to 150mm² cables
- Neutral/Black: 30291NLS | **Active/Red: 30292NLS**

13 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base & Cover



500V 350A 7 Hole Link

- 2 Terminals: 4.6mm – Accommodates up to 10mm² cables
 - 8 Terminals: 5.5mm – Accommodates up to 16mm² cables
 - 1 Terminal: 8.0mm – Accommodates up to 35mm² cables
 - 2 Terminals: 15.3mm – Accommodates up to 150mm² cables
- Neutral/Black: 30293NLS | **Active/Red: 30294NLS**

7 HOLE NEUTRAL/ACTIVE LINK – Black/Red Base & Cover



500V 370A 7 Hole Link

- 2 Terminal: 5.5mm – Accommodates up to 16mm² cables
 - 2 Terminals: 8.0mm – Accommodates up to 50mm² cables
 - 1 Terminals: 9.5mm – Accommodates up to 120mm² cables
 - 2 Terminals: 15.3mm – Accommodates up to 150mm² cables
- Neutral/Black: 30142NLS | **Active/Red: 30143NLS**