

Product datasheet

Specifications



Surface socket, Standard Series,
3pin, 10A, 230/240VAC, white
electric

413E-WE

Main

Range of product	Standard Series
Range	Standard Series
Product or component type	Socket-outlet
Device application	Surface mounted installation of electric cable
Product brand	Clipsal
Outlet standard description	Pin earth
Socket number	1
Colour tint	White electric

Complementary

Device presentation	Basic element with complete housing
Connections - terminals	Screw terminals
Local signalling	Without light indicator
Device mounting	Surface
fixing mode	By screws
Material	Plastic
Surface finish	Glossy
[In] rated current	10 A
[Ue] rated operational voltage	230/240 V AC
Network frequency	50 Hz
Outlet standard deviation	1-15R
Height	55 mm
Diameter	68 mm
fixing center	52 mm
Targeted country	Australia
Width	88 mm
Number of terminals	4

Environment

Standards	AS 3109 AS 3100 AS/NZS 3112
-----------	-----------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	8.8 cm
Package 1 Width	6.9 cm
Package 1 Length	5.6 cm
Package 1 Weight	93 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	8 cm
Package 2 Width	10.5 cm
Package 2 Length	29.5 cm
Package 2 Weight	882 g
Unit Type of Package 3	CAR
Number of Units in Package 3	100
Package 3 Height	42.8 cm
Package 3 Width	31.5 cm
Package 3 Length	32.5 cm
Package 3 Weight	9.3 kg

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.6 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	No

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	27
End of life manual availability	No need of specific recycling operations
Take-back	Nej

Image of product / Alternate images

Alternative







