

Product datasheet

Specifications



Relay base

755RB5

Main

Range	Fire Tek
Colour tint	White (RAL 9003)
Product brand	Clipsal
Product or component type	Relay board
Material	ABS + PC

Complementary

Width	140 mm
Height	140 mm
Depth	44.5 mm
Standards	AS/NZS 3100
IP degree of protection	IP20
Material	ABS + PC

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	14.5 cm
Package 1 Length	14.5 cm
Package 1 Weight	182 g
Unit Type of Package 2	CAR
Number of Units in Package 2	30
Package 2 Height	30.5 cm
Package 2 Width	19 cm
Package 2 Length	45 cm
Package 2 Weight	6 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	1080
Package 3 Height	107 cm
Package 3 Width	114 cm
Package 3 Length	114 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 3 Weight	234.3 kg
------------------	----------

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	5 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	5 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.4 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.5 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free plastic parts & cables product

Use Again



Repack and remanufacture

Recyclability potential, in %	5
End of life manual availability	End of Life Information
Take-back	No

Image of product / Alternate images

Alternative







