Product datasheet

Specifications



Insulating Deep Shroud, Clipsal - Mounting Accessories, 84mm

90BD3-BK

Main

Range	Clipsal Solis
Product brand	Clipsal
Product or component type	Shroud
Accessory / separate part category	Mounting accessory
Device application	Cover
Colour tint	Black

Complementary

Shape	Rectangular
Device mounting	Wall mounted
fixing center	84 mm
Embedding depth	75 mm
Width	95 mm
Height	52 mm
Material	Nylon
Main colour tint	Black

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.55 cm
Package 1 Width	6.05 cm
Package 1 Length	9.37 cm
Package 1 Weight	25.65 g
Unit Type of Package 2	CAR
Number of Units in Package 2	70
Package 2 Height	22.5 cm
Package 2 Width	26 cm
Package 2 Length	33 cm
Package 2 Weight	2.296 kg

Contractual warranty

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Warranty (in months)	18

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Environmental footprint

Total lifecycle Carbon footprint	**0.2 kg CO2 eq.**
Carbon footprint of the manufacturing phase [A1 to A3]	**0.1 kg CO2 eq.**
Carbon footprint of the distribution phase [A4]	**0 kg CO2 eq.**
Carbon footprint of the installation phase [A5]	**0 kg CO2 eq.**
Carbon footprint of the use phase [B2, B3, B4, B6]	**0 kg CO2 eq.**
Carbon footprint of the end-of-life phase [C1 to C4]	**0.1 kg CO2 eq.**
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances

Packaging made with recycled cardboard	**No**
Packaging without single use plastic	**No**
EU RoHS Directive	Compliant By Exemption
REACh Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	**Halogen free product**
PVC free	**Yes**

Use Again

Repack and remanufacture

Recyclability potential, in %	**95**
End of life manual availability	**No need of specific recycling operations**
Take-back	**No**

Image of product / Alternate images

Alternative













Product datasheet

90BD3-BK

