

Product datasheet

Specifications

CLIPSAL



Exhaust fan, Airflow, ceiling,
250mm blade dia, white

CE250N

Main

Range of product	Airflow
Range	Airflow
Product brand	Clipsal
Product or component type	Exhaust fan
Product destination	Ceiling fitting
Main colour tint	White
Colour tint	White

Complementary

Provided equipment	Fan 110 mm 250 mm
[Ue] rated operational voltage	230 V AC 50 Hz
Material	ABS (acrylonitrile butadiene-styrene)
air flow	358 m3/h
Diameter	345 mm impeller:
Power consumption in W	40 W
[In] rated current	0.32 A full load
Plug & lead length	850 mm
Cut-out dimensions	287 mm diameter
Depth	110 mm
Motor type	Ball bearing
Number of blades	3
Noise level	44 dB
Fan type	Axial

Environment

IP degree of protection	IPx4
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	35.5 cm
Package 1 Width	12 cm

Package 1 Length	35.5 cm
Package 1 Weight	1.492 kg
Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	37.3 cm
Package 2 Width	39 cm
Package 2 Length	63 cm
Package 2 Weight	8.48 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	40
Package 3 Height	95 cm
Package 3 Width	113 cm
Package 3 Length	113 cm
Package 3 Weight	94 kg

Contractual warranty

Warranty	3 Years
-----------------	---------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Total lifecycle Carbon footprint	322
----------------------------------	-----

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-----------------------------------	---------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

Halogen-free status	Halogen free plastic parts product
---------------------	------------------------------------

Use Again

Repack and remanufacture

End of life manual availability	No need of specific recycling operations
---------------------------------	--

Take-back	No
-----------	----

Image of product / Alternate images

Alternative







