

Product data sheet Characteristics

EVH4S07N2

EVlink Home, Charging station, 1P+N, 1xT2, 7.4kW, 32A, with RDC-DD





Main

Range	EVlink
Product name	EVlink Home
Product or component type	Charging station
Poles description	1P + N
Mounting mode	Wall-mounted
Offer type	Basic
Max power	7.4 kW 32 A 230 V
Number of charge point	1
Connection to the vehicle	Socket-outlet T2 front face
Quantity per set	Set of 1

Complementary

Rated supply voltage	230 V AC 50 Hz +/- 10 %	
Earthing system	TT TN C	
	TN-S	
Number of inputs	1	
Input type	Auxiliary for dynamic energy management	
Control type	Red 1 emergency stop, function: 1 push-button	
Local signalling	Red, green and blue 1 LED, function: status indication	
Protection type	Earth-leakage protection	
Height	409 mm	
Width	282 mm	
Depth	148 mm	
Net weight	4.5 kg	
Colour	White (RAL 9003)	
Standards	EN 61851 IEC 61851-1 EN 61000-6-1 EN 61000-6-3	
Product certifications	CE UKCA	
Maximum supply current	32 A	

Environment

IP degree of protection	IP54 conforming to EN/IEC 60529
IK degree of protection	IK10 conforming to IEC 62262
Ambient air temperature for operation	-3050 °C
Ambient air temperature for storage	-4085 °C
Relative humidity	595 %
Operating altitude	02000 m

Packing Units

3	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	23.000 cm
Package 1 Width	39.600 cm
Package 1 Length	49.300 cm
Package 1 Weight	5.146 kg
Unit Type of Package 2	P12
Number of Units in Package 2	16
Package 2 Height	103.000 cm
Package 2 Width	80.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	95.000 kg

Offer Sustainability

Green Premium product	
☑ REACh Declaration	
Compliant E EU RoHS Declaration	
Yes	
China RoHS Declaration	
₫Yes	
Product Environmental Profile	
End Of Life Information	
	Compliant E EU RoHS Declaration Yes China RoHS Declaration Yes Product Environmental Profile

Life Is On