



FLEXI SMART FLP12V/RGBBT

SMART HOME - 2m & 5m smart lighting RGB LED strip with dimmer and scene control.

Application

Home theatre, bar features, decorative task illumination demanding smart controls..

Design Specifications

- Smart LED strip kit colour and brightness controlled by included remote, or via the SAL PIXIE or PIXIE PLUS app.
- Four different flashing modes with dimming memory function
- High performance, stable, even light output, Pre wired for easy installation, plug-in & ready to use and cuttable every 100mm. NOTE: when cutting LED strips, it is always important to calculate the remaining LED load to reconfirm its compatibility with the existing driver, as driver changes may be required with moderate reduction in loads.
- choice of 2M and 5M packs available, IP44 strip only.
- NOTE: heatsink required for warranty and system performance



Performance

Dimmable - **YES**

Dimmer Type - **PIXIE or REMOTE control**

Technical Specification

Model No.	Description	Input Voltage (V/AC)	Beam Angle (°)	Dim (mm)	Dimmable	Watts per metre (W/m)
FLP12V2M/RGBBT	SMART LED STRIP KIT RGB 2M	240	115	2000(L) x 10(W) x 3(H)	YES	5.4
FLP12V5M/RGBBT	SMART LED STRIP KIT RGB 5M	240	115	5000(L) x 10(W) x 3(H)	YES	5.4

Model No.	Colour Temp. (K)
FLP12V2M/RGBBT	RGB
FLP12V5M/RGBBT	RGB

Additional functions when used with the PIXIE or PIXIE PLUS app.


TIMER FUNCTION: Set strips or strip groups to remain on for set period and set a countdown timer (1 min. to 24 hours) until strips or strip groups turn off
SCHEDULE FUNCTION: Set strips or strip groups specific time to turn on and off. Required brightness levels

can also be selected **GROUP FUNCTION:** Group strips together into strip groups and control as one **SCENE FUNCTION:** Set a range of scenarios (scenes) by individual strips or strip groups and activate with one touch

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

Cuttable locations



Product Images

