

Product datasheet

Specifications

CLIPSAL



Switchboard enclosure, MAX9, 1 row, 18 ways, flush mount

MX9SB118F

⚠️ Launching in: 1 May 2026

⚠️ Coming soon

Main

| | |
|---------------------------------|------------------|
| Range | MAX9 |
| Product or component type | Enclosure |
| Device application | Distribution |
| Number of 18 mm modules per row | 18 |
| Colour | White (RAL 9003) |
| Door type | - reversible |

Complementary

| | |
|---------------------------|---------|
| Enclosure mounting | Flush |
| Number of horizontal rows | 1 |
| Enclosure material | Plastic |

Environment

| | |
|-------------------------|------|
| IP degree of protection | IP40 |
|-------------------------|------|

Packing Units

| | |
|------------------------------|----------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 49.2 cm |
| Package 1 Width | 37.6 cm |
| Package 1 Length | 14.7 cm |
| Package 1 Weight | 3.108 kg |
| Unit Type of Package 2 | PAL |
| Number of Units in Package 2 | 26 |
| Package 2 Height | 100 cm |
| Package 2 Width | 80 cm |
| Package 2 Length | 120 cm |
| Package 2 Weight | 86 kg |



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

| | |
|--------------------------------------------------------|-----------------------------------------------|
| Total lifecycle Carbon footprint | 20 kg CO2 eq. |
| Carbon footprint of the manufacturing phase [A1 to A3] | 15 kg CO2 eq. |
| Carbon footprint of the distribution phase [A4] | 0.6 kg CO2 eq. |
| Carbon footprint of the installation phase [A5] | 0 kg CO2 eq. |
| Carbon footprint of the use phase [B2, B3, B4, B6] | 0 kg CO2 eq. |
| Carbon footprint of the end-of-life phase [C1 to C4] | 5 kg CO2 eq. |
| Environmental Disclosure | Product Environmental Profile |

Use Better



Materials and Substances

| | |
|----------------------------------------|----------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | No |
| EU RoHS Directive | Compliant By Exemption |
| REACH Regulation | Reference contains Substances of Very High Concern above the threshold |
| Halogen-free status | Product contains halogen above thresholds |
| PVC free | Yes |
| Silicone-free | No |

Use Longer



Lifetime extension

| | |
|--------|----|
| Repair | No |
|--------|----|

Use Again



Repack and remanufacture

| | |
|---------------------------------|------------------------------------------|
| Recyclability potential, in % | 59 |
| End of life manual availability | No need of specific recycling operations |
| Take-back | No |

Image of product / Alternate images

Alternative

