

# Product datasheet

Specifications

**CLIPSAL**



## Switchboard enclosure, MAX9, 4 row, 52 ways, flush mount

MX9SB413F

⚠️ Launching in: 1 May 2026

⚠️ Coming soon

### Main

Range	MAX9
Product or component type	Enclosure
Device application	Distribution
Number of 18 mm modules per row	13
Colour	White (RAL 9003)
Door type	- reversible

### Complementary

Enclosure mounting	Flush
Number of horizontal rows	4
Enclosure material	Plastic

### Environment

IP degree of protection	IP40
-------------------------	------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	81.3 cm
Package 1 Width	41.1 cm
Package 1 Length	14.3 cm
Package 1 Weight	6.111 kg
Unit Type of Package 2	PAL
Number of Units in Package 2	16
Package 2 Height	98 cm
Package 2 Width	80 cm
Package 2 Length	120 cm
Package 2 Weight	101 kg



## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



### Environmental footprint

Total lifecycle Carbon footprint	39 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	28 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.1 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	10 kg CO2 eq.
Environmental Disclosure	<a href="#">Product Environmental Profile</a>

## Use Better



### Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	<a href="#">Compliant By Exemption</a>
REACH Regulation	<a href="#">Reference contains Substances of Very High Concern above the threshold</a>
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes
Silicone-free	No

## Use Longer



### Lifetime extension

Repair	No
--------	----

## Use Again



### Repack and remanufacture

Recyclability potential, in %	59
End of life manual availability	No need of specific recycling operations
Take-back	No

Image of product / Alternate images

Alternative

---

