


Product datasheet

Specifications



Protective box IK10, Pro Series, with lockable lid

P223H-3A

Main

Range	Pro Series
Product brand	Clipsal
Product Type	Box
Device application	Protection
Cover type	Lockable hinged lid
Lock type	1 point locking system
enclosure type	Enclosure for power outlet
Colour tint	Aluminium

Complementary

Shape	Rectangular
Device mounting	Wall mounted
mounting mode	Surface mounted
Mounting support	wall box
Material	Zinc alloy
Installation direction	Horizontal
fixing mode	By screws
Number of mounting holes	6
Tightening torque	0.53 N.m
Length	150 mm
Depth	45 mm
Height	112 mm
IK degree of protection	IK10
Targeted country	Australia

Environment

Ambient air temperature for operation	0...45 °C
---------------------------------------	-----------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	16.7 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Width	10.5 cm
Package 1 Length	13.0 cm
Package 1 Weight	672.0 g

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	6 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0.1 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0.2 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.6 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	1 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACH Regulation	Free of Substances of Very High Concern above the threshold
Halogen-free status	Halogen free product
PVC free	No

Use Again



Repack and remanufacture

Recyclability potential, in %	33
End of life manual availability	No need of specific recycling operations
Take-back	No