



CARINA SE7150 - 10W

LED 10 watt surface mount wall luminaire




Application

Residential and commercial interior and exterior wall features

Design Specifications

- Durable aluminium body profile
- Quality matt black or white powder coat finish
- High efficiency LED optics
- Selectable CCT 3000 / 4000 or 5700K
- Precise UP/DOWN beam distribution 8°
- Integral control gear





Technical Specification

8

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	SE7150/10TC/WH	240	10	950/1050/1000	3000/4000/5700	80
	SE7150/10TC/BK	240	10	950/1050/1000	3000/4000/5700	80
Beam Angle (°)		Dimmable	Dim (mm)		Body Colour	
8		NO	175(L) x 90(W) x 30(H)		WHITE	

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

175(L) x 90(W) x 30(H)


NO

BLACK





Dimensions









The innovative PIXIE AMBIENCE SWITCH PLATES have been designed with the end user and installer in mind, allowing you to change the colour face plate as fashion demands.

For more information please scan me





NSW/ACT: 02 9723 3099 QLD: 07 3879 5999 VIC/TAS/SA/NT: 03 9532 3168 WA: 08 9248 7458