



## HAMPTONS SE8002

IP67 LED deck light kits

### Application

Decorative exterior feature lighting

### Design Specifications

- Durable 316 stainless steel face and aluminium body
- Frosted polycarbonate diffuser Ø35 mm x H26 mm round deck lights
- 6 x 0.6W deck light head with 3.5 m PVC flex & 2 pin quick connect plug
- 6 m rubber flex with 6 x 2 pin quick connect sockets
- 1 x IP65 10VA driver, non-dimmable
- SE8002P extension kit contents include: 1 x Ø35 x H26 mm, 316 stainless steel face round deck light, 1 x 3.5 m PVC flex with 2 pin quick connect plug, 1 x 1.1 m extension cable, maximum of 10 connected heads per (kit) driver.



### Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	CCT (K)	CRI	Diameter (mm)	Dim (mm)
SE8002WW	240	3.6	3000	80	35	35(W) x 26(H)
SE8002P/WW	240	0.6	3000	80	35	35(W) x 26(H)
SE8002NDL	240	3.6	5000	80	35	35(W) x 26(H)
SE8002P/NDL	240	0.6	5000	80	35	35(W) x 26(H)


Model No.	Body Colour
SE8002WW	STAINLESS STEEL
SE8002P/WW	STAINLESS STEEL
SE8002NDL	STAINLESS STEEL
SE8002P/NDL	STAINLESS STEEL

\* Power shown is TOTAL luminaire power (W).

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



## Dimensions





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

*Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.*

**For more  
information  
please  
scan me**

