





## **NEWPORT SPIKE SL7261TC - 5W**


IP54 MR16 LED lamp base spike luminaire with selectable CCT lamp

## **Application**

Decorative accent solution

## **Design Specifications**

- Machined 316L stainless steel or extruded aluminium body profile, black or silver or anodised silver finish
- Clear tempered glass cover
- GU5.3 lamp base, MR16 5W TC lamp included
- 600 mm 2 core rubber flex
- 12V AC or DC driver required
- SAL lamp options MR16/7W, MR16DIM9W (excluding Stainless Steel fittings)























Product	Model No.	Input Voltage (V/AC)	Input Voltage (V/DC)	Power (W)	Lumens (lm)	сст (к)
	SL7261TC/SLS	12	12	5	360/400/380	3000/4000/6000
	SL7261TC/SL	12	12	5	360/400/380	3000/4000/6000
	SL7261TC/BK	12	12	5	360/400/380	3000/4000/6000
	SL7261TC/AS	12	12	5	360/400/380	3000/4000/6000






CRI	Beam Angle (°)	Diameter (mm)	Dim (mm)	Base Type	Body Colour
80	38	63	63(W) x 200(H)	GU5.3	STAINLESS STEEL
80	38	63	63(W) x 200(H)	GU5.3	SILVER
80	38	63	63(W) x 200(H)	GU5.3	BLACK
80	38	63	63(W) x 200(H)	GU5.3	ANODISED SILVER

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## **Dimensions**







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

