



AUSTSAW™
TIMBER RANGE

DESIGNED TO CUT:



6x LIFE

Non-stick PROSHIELD
less heat, sticking & corrosion



CARDED 1 PCE

- Premium European hi-density carbide blade gives extreme durability and cutting life
- Heavy duty laser cut plate built from the finest quality steel
- Laser cut vents provide superior noise and vibration absorption
- Impact resistant brazing for high performance tooth bonding
- Thin kerf design ensures fast effortless, cutting and increased battery life on cordless saws
- Precision tooth grind for superior tracking and cut quality
- Anti-kickback design with reinforced shoulder for safety and durability

CARDED 1 PCE

Ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
136mm 5 3/8"	24	20	16	ATAF 15	20	Thin Kerf 1.5	TBPP1362024	RIP/CROSSCUT	Cordless Saw	11,000
	36	20	16	ATAF 15	18	Thin Kerf 1.5	TBPP1362036	TRIM/FINISH	Cordless Saw	11,000
160mm 6 1/4"	18	20	16	ATAF 15	20	Thin Kerf 1.5	TBPP1602018	RIP/CROSSCUT	Cordless/Corded Saw	9,500
	24	20	16	ATAF 15	20	Thin Kerf 1.5	TBPP1602024	RIP/CROSSCUT	Cordless/Corded Saw	9,500
165mm 6 1/2"	40	20	16	ATB 15	18	Thin Kerf 1.5	TBPP1602040	TRIM/FINISH	Cordless/Corded Saw	9,500
	24	20	16	ATAF 15	20	1.5	TBPP1652024	RIP/CROSSCUT	Cordless/Corded Saw	9,000
185mm 7 1/2"	40	20	16	ATB 15	18	1.5	TBPP1652040	TRIM/FINISH	Cordless/Corded Saw	9,000
	24	20	16	ATB 15	15	1.8	TBPP1852024	RIP/CROSSCUT	Cordless Saw	8,000
190mm 7 1/2"	40	20	16	ATB 15	18	1.6	TBPP1852040	TRIM/FINISH	Cordless/Circular Saw	8,000
	40	20	NA	ATAF 15	5	2.0	TBPP1902040	TRIM/FINISH	Mitre Saw	8,000
210mm 8 1/4"	20	25	16	ATB 15	18	1.8	TBPP2102520	RIP/CROSSCUT	Circular Saw	7,000
	40	25	16	ATB 15	15	1.8	TBPP2102540	TRIM/FINISH	Circular Saw	7,000
216mm 8 1/2"	60	30	15.88	ATB 15	5	2.0	TBPP2163060	TRIM/FINISH	Mitre Saw	7,000
235mm 9 1/4"	20	25	NA	ATB 15	18	Thin Kerf 1.8	TBPP2352520	RIP/CROSSCUT	Circular Saw	6,500
	40	25	NA	ATB 15	15	Thin Kerf 1.8	TBPP2352540	TRIM/FINISH	Circular Saw	6,500
	60	25	NA	ATB 15	15	Thin Kerf 1.8	TBPP2352560	TRIM/FINISH	Circular Saw	6,500
255mm 10"	40	30	25.4	ATB 15	5	Thin Kerf 2.3	TBPP2553040	RIP/CROSSCUT	Mitre Saw	6,000
	40	30	25.4	ATB 15	18	Thin Kerf 2.3	TBPP2553040T	RIP/CROSSCUT	Table Saw	6,000
	60	30	25.4	ATB 15	5	2.8	TBPP2553060	TRIM/FINISH	Mitre Saw	6,000
	80	30	25.4	ATB 15	5	Thin Kerf 2.3	TBPP2553080	TRIM/FINISH	Mitre Saw	6,000
260mm 10 1/4"	80	30	25.4	ATAF 15	15	2.8	TBPP2553080T	TRIM/FINISH	Table Saw	6,000
	32	25.4	NA	ATB 15	5	2.3	TBPP26025432	RIP/CROSSCUT	Mitre Saw	5,500
	50	25.4	NA	ATAF 15	5	2.3	TBPP26025450	TRIM/FINISH	Mitre Saw	5,500
305mm 12"	80	25.4	NA	ATB 15	5	2.3	TBPP26025480	TRIM/FINISH	Mitre Saw	5,500
	60	30	25.4	ATAF 15	5	2.3	TBPP3053060	TRIM/FINISH	Mitre Saw	5,000
100	30	25.4	ATAF 15	5	2.3	TBPP30530100	TRIM/FINISH	Mitre Saw	5,000	

DESIGNED TO CUT:



CARDED 3 PCE SET



CARDED 2 PCE SET



BULK 20 PCE



CARDED

SET 3 PCE - 185mm x 16, 24, 40T

NEW	Ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	16	20	16	ATB 15	20	1.8	TBPP1852016.24.40	RIP/CROSSCUT	Cordless Saw	8,000	
	24	20	16	ATB 15	15	1.8		RIP/CROSSCUT	Cordless Saw	8,000	
	40	20	16	ATB 15	18	1.6		TRIM/FINISH	Cordless/Circular Saw	8,000	

SET 2 PCE - 185mm x 24, 40T

NEW	Ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATB 15	15	1.8	TBPP1852024.40	RIP/CROSSCUT	Cordless Saw	8,000	
	40	20	16	ATB 15	18	1.6		TRIM/FINISH	Cordless/Circular Saw	8,000	

BULK

20 PCE

Ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATB 15	15	1.8	TBPP1852024B	RIP/CROSSCUT	Cordless Saw	8,000
235mm 9 1/4"	20	25	NA	ATB 15	18	Thin Kerf 1.8	TBPP2352520B	RIP/CROSSCUT	Circular Saw	6,500

*Enquire about new product availability by calling our sales team on 02 4957 8787

DESIGNED TO CUT:



3x LIFE

Anti-Friction COATING

- Heavy duty plate built from the finest quality steel
- Impact resistant brazing with high performance tooth bonding
- Thin kerf design for fast effortless cutting gives you increased battery life on cordless saws
- Precision tooth grind for superior tracking and cut quality
- Anti-friction layer prevents friction for smoother cutting
- Anti-kickback design with reinforced shoulder for safety and durability



CARDED 1 PCE

CARDED 1 PCE

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
136mm 5 3/8"	24	20	16	ATAF 15	20	Thin Kerf 1.5	TBP1362024	RIP/CROSSCUT	Cordless Saw	11,000
	36	20	16	ATAF 15	18	Thin Kerf 1.5	TBP1362036	TRIM/FINISH	Cordless Saw	11,000
160mm 6 1/4"	18	20	16	ATAF 15	20	Thin Kerf 1.5	TBP1602018	RIP/CROSSCUT	Cordless Saw	9,500
	24	20	16	ATAF 15	20	Thin Kerf 1.5	TBP1602024	RIP/CROSSCUT	Cordless Saw	9,500
165mm 6 1/2"	40	20	16	ATB 15	18	Thin Kerf 1.5	TBP1602040	TRIM/FINISH	Cordless Saw	9,500
	24	20	16	ATB 15	20	1.5	TBP1652024	TRIM/FINISH	Cordless Saw	9,000
165mm 6 1/2"	40	20	16	ATB 15	18	1.5	TBP1652040	TRIM/FINISH	Cordless Saw	9,000
	16	20	16	ATAF 21	21	1.8	TBP1852016	RIP/CROSSCUT	Cordless Saw	8,000
185mm 7 1/2"	24	20	16	ATB 15	15	1.8	TBP1852024	TRIM/FINISH	Cordless Saw	8,000
	40	20	16	ATB 15	18	Thin Kerf 1.6	TBP18520240	TRIM/FINISH	Cordless Saw	8,000
190mm 7 1/2"	40	20	NA	ATAF 12	5	2.0	TBP1902040	TRIM/FINISH	Mitre Saw	8,000
210mm 8 1/4"	20	25	16	ATB 15	18	1.8	TBP2102520	RIP/CROSSCUT	Circular Saw	7,000
	40	25	16	ATB 15	15	1.8	TBP2102540	TRIM/FINISH	Circular Saw	7,000
216mm 8 1/2"	60	30	15.88	ATB 12	5	2.0	TBP2163060	TRIM/FINISH	Mitre Saw	7,000
235mm 9 1/4"	20	25	NA	ATB 15	20	Thin Kerf 1.8	TBP2352520	RIP/CROSSCUT	Circular Saw	6,500
	40	25	NA	ATB 15	15	Thin Kerf 1.8	TBP2352540	TRIM/FINISH	Circular Saw	6,500
	60	25	NA	ATB 15	17	Thin Kerf 1.8	TBP2352560	TRIM/FINISH	Circular Saw	6,500
255mm 10"	40	30	25.4	ATB 12	10	Thin Kerf 2.3	TBP2553040	RIP/CROSSCUT	Mitre Saw	6,000
	40	30	25.4	ATB 12	18	2.8	TBP2553040T	RIP/CROSSCUT	Table Saw	6,000
	60	30	25.4	ATB 12	5	Thin Kerf 2.3	TBP2553060	TRIM/FINISH	Mitre Saw	6,000
	80	30	25.4	ATAF 12	5	Thin Kerf 2.3	TBP2553080	TRIM/FINISH	Mitre Saw	6,000
	80	30	25.4	ATAF 15	15	2.8	TBP2553080T	TRIM/FINISH	Table Saw	6,000
305mm 12"	40	30	25.4	ATAF 12	5	Thin Kerf 2.3	TBP3053040	RIP/CROSSCUT	Mitre Saw	5,000
	60	30	25.4	ATAF 12	5	Thin Kerf 2.3	TBP3053060	TRIM/FINISH	Mitre Saw	5,000
	100	30	25.4	ATAF 12	5	Thin Kerf 2.3	TBP30530100	TRIM/FINISH	Mitre Saw	5,000

DESIGNED TO CUT:



CARDED 3 PCE SET



CARDED 2 PCE SET



BULK 20 PCE



CARDED

3 PCE - 185mm x 24T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
NEW 185mm 7 1/2"	24	20	16	ATB 15	15	1.8	TBP1852024-3	RIP/CROSSCUT	Cordless Saw	8,000

SET 3 PCE - 185mm x 16, 24, 40T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
NEW 185mm 7 1/2"	16	20	16	ATAF 21	20	1.8	TBP1852016.24.40	RIP/CROSSCUT	Cordless Saw	8,000
	24	20	16	ATB 15	18	1.8		RIP/CROSSCUT	Cordless Saw	8,000
	40	20	16	ATB 15	18	1.6		TRIM/FINISH	Cordless Saw	8,000

SET 2 PCE - 185mm x 24, 40T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
NEW 185mm 7 1/2"	24	20	16	ATB 15	18	1.8	TBP1852024.40	RIP/CROSSCUT	Cordless Saw	8,000
	40	20	16	ATB 15	18	1.6		TRIM/FINISH	Cordless Saw	8,000

BULK

20 PCE

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATB 15	18	1.8	TBP1852024B	RIP/CROSSCUT	Cordless Saw	8,000
235mm 9 1/4"	20	25	NA	ATB 15	20	Thin Kerf 1.8	TBP2352520B	RIP/CROSSCUT	Circular Saw	6,500

*Enquire about new product availability by calling our sales team on 02 4957 8787

DESIGNED TO CUT:



2x LIFE

Anti-Rust COATING



CARDED 1 PCE

- Clean, high quality cut
- Impact resistant brazing with high performance tooth bonding
- Hardened and tempered body for smooth, straight cuts
- Thin kerf design with fast effortless cutting provides increased battery life on cordless saws
- Heavy duty plate built from the finest quality steel
- Precision tooth grind for superior tracking and cut quality
- Anti-kickback design with reinforced shoulder for safety and durability

CARDED 1 PCE

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
160mm 6 1/4"	24	20	16	ATAF 12	20	2.0	TBR1602024	RIP/CROSSCUT	Cordless/Circular Saw	9,250
	40	20	16	ATAF 12	18	2.0	TBR1602040	TRIM/FINISH	Cordless/Circular Saw	9,250
165mm 6 1/2"	16	20	NA	ATAF 12	20	2.0	TBR1652016	RIP/CROSSCUT	Cordless/Circular Saw	9,250
	20	20	NA	ATAF 12	17	2.0	TBR1652024	RIP/CROSSCUT	Cordless/Circular Saw	9,250
185mm 7 1/2"	16	20	16	ATAF 15	20	2.2	TBR1852016	RIP/CROSSCUT	Cordless/Circular Saw	8,300
	24	20	16	ATAF 12	19	2.2	TBR1852024	RIP/CROSSCUT	Cordless/Circular Saw	8,300
210mm 8 1/4"	40	20	16	ATAF 12	18	2.2	TBR18520240	TRIM/ FINISH	Cordless/Circular Saw	8,300
	20	25	16	ATAF 12	19	2.0	TBR2102520	RIP/CROSSCUT	Cordless/Circular Saw	7,000
235mm 9 1/4"	40	25	16	ATAF 12	20	2.0	TBR2102540	TRIM/ FINISH	Cordless/Circular Saw	7,000
	20	25	NA	ATAF 12	18	2.5	TBR2352520	RIP/CROSSCUT	Circular Saw	6,500
255mm 10"	40	25	NA	ATAF 12	15	2.5	TBR2352540	RIP/CROSSCUT	Circular Saw	6,500
	60	25	NA	ATAF 12	15	2.5	TBR2352560	RIP/CROSSCUT	Circular Saw	6,500
305mm 12"	80	30	25.4	ATAF 12	12	2.6	TBR2553080	RIP/CROSSCUT	Mitre Saw	6,000
	100	30	NA	ATAF 12	5	2.6	TBR30530100	TRIM/ FINISH	Mitre Saw	5,000

NEW

DESIGNED TO CUT:



CARDED 3 PCE SET



CARDED 2 PCE SET



BULK 10 PCE



CARDED

3 PCE - 185mm x 24T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATAF 12	19	2.2	TBR1852024-3	RIP/CROSSCUT	Cordless/Circular Saw	8,300

NEW

SET 3 PCE - 185mm x 16, 24, 40T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	16	20	16	ATAF 12	22	2.2	TBR1852016.24.40	RIP/CROSSCUT	Cordless Saw	8,300
	24	20	16	ATAF 12	19	2.2		RIP/CROSSCUT	Cordless Saw	8,300
	40	20	16	ATAF 12	18	2.2		TRIM/ FINISH	Cordless/Circular Saw	8,300

NEW

SET 2 PCE - 185mm x 24, 40T

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATAF 12	19	2.2	TBR1852024.40	RIP/CROSSCUT	Cordless Saw	8,300
	40	20	16	ATAF 12	18	2.2		TRIM/ FINISH	Cordless/Circular Saw	8,300

NEW

BULK

10 PCE

ø	Teeth	Bore mm	Bush mm	Tooth Grind	Rake°	Kerf mm	CODE	Application	Use with	RPM
185mm 7 1/2"	24	20	16	ATAF 12	19	2.2	TBR1852024-10	RIP/CROSSCUT	Cordless/Circular Saw	8,300
235mm 9 1/4"	20	20	NA	ATAF 12	20	2.5	TBR2352520-10	RIP/CROSSCUT	Circular Saw	6,500

*Enquire about new product availability by calling our sales team on 02 4957 8787

EXTREME WOOD WITH NAILS



6x LIFE

Non-stick
PROSHIELD
less heat, sticking & corrosion

Best suits: 
Wood with Nails

- Premium European hi-density carbide blade gives extreme durability and cutting life
- Heavy duty laser cut plate built from the finest quality steel
- Laser cut vents provide superior noise and vibration absorption
- Impact resistant brazing for high performance tooth bonding
- Thin kerf design ensures fast effortless, cutting and increased battery life on cordless saws
- Precision tooth grind for superior tracking and cut quality
- Anti-kickback design with reinforced shoulder for safety and durability
- Sufficiently handles wood with nails and knots
- Anti-friction layer prevents friction for smoother cutting
- Non-stick blade coating for less gumming and pitch build up

RAIDERX TIMBER



3x LIFE

Anti-Friction
COATING

Best suits: 
Wood

- Heavy duty plate built from the finest quality steel
- Impact resistant brazing with high performance tooth bonding
- Thin kerf design for fast effortless cutting gives you increased battery life on cordless saws
- Precision tooth grind for superior tracking and cut quality
- Anti-friction layer prevents friction for smoother cutting
- Anti-kickback design with reinforced shoulder for safety and durability

RAIDER TIMBER



2x LIFE

Anti-Rust
COATING

Best suits: 
Wood

- Clean, high quality cut
- Impact resistant brazing with high performance tooth bonding
- Hardened and tempered body for smooth, straight cuts
- Thin kerf design with fast effortless cutting provides increased battery life on cordless saws
- Heavy duty plate built from the finest quality steel
- Precision tooth grind for superior tracking and cut quality
- Anti-kickback design with reinforced shoulder for safety and durability
- Anti-rust coating for extended life

AUSTSAW™

by  Sheffield GROUP

© COPYRIGHT SHEFFIELD GROUP 2019. No part of this publication may be copied, scanned or reproduced in whole or part in any form without written permission from Sheffield Group. 201903

 Sheffield GROUP

T: 02 4957 8787 • F: 02 4957 3737 • E: sales@sheffield.com.au
55 Pendlebury Road (PO Box 687) • Cardiff NSW 2285 Australia
sheffield.com.au

  
@sheffieldgroup