Specifications



Spot light twin LED, Clipsal, with sensor, IP54, IK04, black

CLITPSF

Main

Range	Clipsal
Product name	TPDB Series
Product or component type	Batten light
Device application	Lighting
Complementary	
Total system power	30 W
Light source	LED 25 W
[Ue] rated operational voltage	230240 V AC 50 Hz
Luminous flux	1200 lm
Bulb lifespan	35000 h
Colour temperature	3000 K 4000 K 5700 K
Device mounting	Surface
Mounting mode	By screws
IP degree of protection	IP54
IK degree of protection	IK04
Electrical insulation class	Class I
Width	233 mm
Height	174 mm

Environment

Net weight

Colour tint

Colour rendering index	R _a =80
Ambient air temperature for operation	-1045 °C
Relative humidity	1095 % non-condensing

895 g

Black

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	23.2 cm

Package 1 Width	8.4 cm
Package 1 Length	10.7 cm
Package 1 Weight	816 g
Unit Type of Package 2	CAR
Number of Units in Package 2	6
Package 2 Height	25.2 cm
Package 2 Width	23.3 cm
Package 2 Length	27.3 cm
Package 2 Weight	5.14 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	288
Package 3 Height	91.2 cm
Package 3 Width	114 cm
Package 3 Length	114 cm
Package 3 Weight	246 kg

🌔 Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

Image: Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) 342 Environmental Disclosure Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
Halogen content performance	Halogen free plastic parts product

Use Again

\circlearrowright Repack and remanufacture

Circularity Profile

End of Life Information

Product datasheet

Image of product / Alternate images

Alternative







CLITPSF





