

Product datasheet

Specifications



LED wall light, Clipsal, 9W, 4000K, IP54, silver

CLITPWL

Main

Range	Clipsal
Product name	TPWL Series
Product or component type	Wall light
Device application	Lighting

Complementary

Type of installation	Outdoor
Total system power	9 W
Light source	LED
[Ue] rated operational voltage	230...240 V AC 50 Hz
Colour rendering index	R _a =80
Luminous flux	260 lm 350 lm 410 lm
Bulb lifespan	15000 h
Colour temperature	3000 K 4000 K 6500 K
Colour	Silver
Provided equipment	Allen key 2 screws Washer
Device mounting	Wall mounted
Mounting mode	Surface mounted
fixing mode	Screwed
Electrical insulation class	Class I
Shape	Cylindrical
Height	210 mm
Length	60 mm
Width	80 mm
Depth	100 mm
Net weight	710 g
Targeted country	Australia

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environment

IP degree of protection	IP54
IK degree of protection	IK10
Ambient air temperature for operation	-10...45 °C
Relative humidity	10...95 % non-condensing

Packing Units


Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	20 cm
Package 1 Width	6.4 cm
Package 1 Length	19.8 cm
Package 1 Weight	505 g
Unit Type of Package 2	CAR
Number of Units in Package 2	8
Package 2 Height	22 cm
Package 2 Width	27.7 cm
Package 2 Length	41.5 cm
Package 2 Weight	4.52 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	320
Package 3 Height	104.8 cm
Package 3 Width	114 cm
Package 3 Length	114 cm
Package 3 Weight	195 kg

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

<div>Environmental footprint</div>	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	117
Environmental Disclosure	Product Environmental Profile

Use Better

<div>Materials and Substances</div>	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant
REACH Regulation	REACH Declaration
Halogen content performance	Halogen free plastic parts product

Use Again


<div>Repack and remanufacture</div>	
Circularity Profile	End of Life Information

Image of product / Alternate images

Alternative







