

Product datasheet

Specifications



Switch, C2000, vertical, 2-gang,
10A, 230/240VAC, white electric,
15 pieces

VPC2032VA-WE

Main

Range of product	Classic Series C2000
Range	C2000 Series
Product brand	Clipsal
Product Type	Switch
Assembly Type	Basic element with full cover plate and grid
Colour tint	White electric

Complementary

Number of switched poles	1
Mounting position	Vertical
Connections - terminals	Screw terminals
Installation Type	Flush
Number Of Switches	2
Local signalling	without
[Ue] rated operational voltage	230/240 V AC
Rated current	10 A 8 AX, fluorescent lamp
Marking	Without marking
Mounting Type	By screws
Surface finish	Glossy
Actuator	Rocker
Switch function	1-pole

Environment

Standards	AS/NZS 60669.1
-----------	----------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	24.3 cm
Package 1 Width	17.3 cm
Package 1 Length	12.2 cm
Package 1 Weight	1.2 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	39.0 cm
Package 2 Width	34.2 cm
Package 2 Length	23.8 cm
Package 2 Weight	6.2 kg



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Total lifecycle Carbon footprint	0.7 kg CO2 eq.
Carbon footprint of the manufacturing phase [A1 to A3]	0.4 kg CO2 eq.
Carbon footprint of the distribution phase [A4]	0 kg CO2 eq.
Carbon footprint of the installation phase [A5]	0 kg CO2 eq.
Carbon footprint of the use phase [B2, B3, B4, B6]	0.1 kg CO2 eq.
Carbon footprint of the end-of-life phase [C1 to C4]	0.2 kg CO2 eq.
Environmental Disclosure	Product Environmental Profile

Use Better



Materials and Substances

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant By Exemption
REACH Regulation	Reference contains Substances of Very High Concern above the threshold
Halogen-free status	Product contains halogen above thresholds
PVC free	Yes

Use Longer



Lifetime extension

Repair	No
--------	----

Use Again



Repack and remanufacture

Recyclability potential, in %	40
End of life manual availability	No need of specific recycling operations