Premium Switches and Sockets



make the switch





Design, though often quite technical, is first and foremost about emotions: seeing, understanding, feeling and experiencing. That's why at Hager, our goal is above all to put a 'face' to our products: one of balance, serenity, elegance and refinement.

"We must create products that not only reflect that we care, but reflect our philosophy and brand identity" Erwin van Handenhoven

finesse

allure





Our architecturally inspired finesse range is sure to impress audiences with its minimalistic and precise design, and is considered to be ingeniously simplistic. The refined translucent edge that surrounds allure, accentuates its elegant profile – only 9mm off the wall surface, creating a unique floating effect.

finesse

Switch Plates	10
Switches	1:
Sockets	10
Covers only	14

allure

Switch Plates	17
Switches	18
Sockets	20
Covers only	21

silhouette

premiere





With a simple and elegant form based on the serene balance of proportions and the reduction of the object essentials, our silhouette range gives each product the right tone of voice in order to fit within its environment.

Quietly boasting functionality and a beautifully understated form, premiere has a simple and stylish look that creates a soothing effect on its surroundings.

silhouette

Switch Plates and Switches	24
Sockets, Electronic Push Button & Cooker Switches	25
Covers only	26

premiere

Switch Plates	
Switches	3.
Architrave Switches and Other Products	32
IP66 Switches	33
Single Sockets	34
Double and 4 Sockets	35

A quality finish right down to the wire

Fingerprint resistant



For maximum lustre, our metal covers have a treated surface to reduce fingerprint marks.

UV stabilised



Strong impact resistant polycarbonate material will not 'yellow' over time.

Slim profile



With a thickness of only 4mm off the wall surface, silhouette and finesse has the lowest profile on the market.

Standard 16AX mech



All of our standard mechanisms will handle a true 16AX fluorescent load.

Extensive research with architects, interior designers, electrical contractors and consumers have created a dynamic, fully featured range of switches and sockets - with an array of styles, colours and finishes to suit any space.

Child safe shutters



A spring loaded shutter protects little fingers from live parts inside sockets.

Roto-loc® mechanism



The patented Roto-loc system eliminates the possibility of the mechanism being pushed back into the wall cavity.

IP2X compliance



Provided with either a retained hinged cap in allure or deep screw receptor with finesse or silhouette for faster installation.

Added value



A full range of accessories and mechs including electronic push buttons and dimmers are also available.





Colour range







Matt Black (MB)



Matt White (MW)



- Multiple mounting holesSupplied with standard 32mm
- Supplied with standard 32mm tapered point fixing screws
 No mechanism push back
 High impact, high gloss UV stabilised polycarbonate construction
 Spray matt finishes available in matt white and matt black
- Screw retention
- Hybrid plates for non-Hager Roto-loc mechanisms





WBQSP4



WBQSPB



WBQSPCE-MW

Switch Plates - No Mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBQSP1
	Matt Black	10	★ WBQSP1-MB
	Matt White	10	★ WBQSP1-MW
2 gang	Gloss White	10	★ WBQSP2
	Matt Black	10	★ WBQSP2-MB
	Matt White	10	★ WBQSP2-MW
3 gang	Gloss White	10	★ WBQSP3
	Matt Black	10	★ WBQSP3-MB
	Matt White	10	★ WBQSP3-MW
4 gang	Gloss White	10	★ WBQSP4
	Matt Black	10	★ WBQSP4-MB
	Matt White	10	★ WBQSP4-MW
5 gang	Gloss White	10	★ WBQSP5
	Matt Black	10	★ WBQSP5-MB
	Matt White	10	★ WBQSP5-MW
6 gang	Gloss White	10	★ WBQSP6
	Matt Black	10	★ WBQSP6-MB
	Matt White	10	★ WBQSP6-MW
Blank	Gloss White	10	★ WBQSPB
	Matt Black	10	★ WBQSPB-MB
	Matt White	10	★ WBQSPB-MW
Brush cable entry plate	Gloss White	5	★ WBQSPCE
	Matt Black	5	★ WBQSPCE-MB
	Matt White	5	★ WBQSPCE-MW



WBQHSP1



WBQHSP4

Switch Plates - Hybrid

(For use with non-Hager mechanisms)

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBQHSP1
	Matt Black	10	★ WBQHSP1-MB
	Matt White	10	★ WBQHSP1-MW
2 gang	Gloss White	10	★ WBQHSP2
	Matt Black	10	★ WBQHSP2-MB
	Matt White	10	★ WBQHSP2-MW
3 gang	Gloss White	10	★ WBQHSP3
	Matt Black	10	★ WBQHSP3-MB
	Matt White	10	★ WBQHSP3-MW
4 gang	Gloss White	10	★ WBQHSP4
	Matt Black	10	★ WBQHSP4-MB
	Matt White	10	★ WBQHSP4-MW



- Multiple mounting holes
- Supplied with captive 32mm
- Supplied with captive 32mm tapered point fixing screws
 No mechanism push back
 High impact, high gloss UV stabilised polycarbonate construction
- Press mechs 10A
- Spray matt finishes available in matt white and matt black
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable
- Push button mechanical
- switches rated 10A
 240V press button mechs 10AX





Switches

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBQSV1
	Matt Black	10	★ WBQSV1-MB
	Matt White	10	★ WBQSV1-MW
2 gang	Gloss White	10	★ WBQSV2
	Matt Black	10	★ WBQSV2-MB
	Matt White	10	★ WBQSV2-MW
3 gang	Gloss White	5	★ WBQSV3
	Matt Black	5	★ WBQSV3-MB
	Matt White	5	★ WBQSV3-MW
4 gang	Gloss White	5	★ WBQSV4
	Matt Black	5	★ WBQSV4-MB
	Matt White	5	★ WBQSV4-MW
5 gang	Gloss White	5	★ WBQSV5
	Matt Black	5	★ WBQSV5-MB
	Matt White	5	★ WBQSV5-MW
6 gang	Gloss White	5	★ WBQSV6
	Matt Black	5	★ WBQSV6-MB
	Matt White	5	★ WBQSV6-MW






WBQSV4-MB

Switches with 240V Press Mech

Description	Characteristics	Available colours	Box qty	Cat ref.
1 gang	10AX	Gloss White	5	★ WBQSV1PB
		Matt Black	5	★ WBQSV1PB-MB
		Matt White	5	★ WBQSV1PB-MW
2 gang	10AX	Gloss White	5	★ WBQSV2PB
		Matt Black	5	★ WBQSV2PB-MB
		Matt White	5	★ WBQSV2PB-MW
3 gang	10AX	Gloss White	5	★ WBQSV3PB
		Matt Black	5	★ WBQSV3PB-MB
		Matt White	5	★ WBQSV3PB-MW
4 gang	10AX	Gloss White	5	★ WBQSV4PB
		Matt Black	5	★ WBQSV4PB-MB
		Matt White	5	★ WBQSV4PB-MW
240V LED for PB mech LED - blue	240V	-	20	★ WBAPBLED



WBQSV1PB

(Not supplied with switches)



- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
 High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Terminals accommodate 4 x 1.5mm² cable
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion

Cooker switch features

- Double pole
- Comes with 2 covers
- One marked with 'cooker'
- One with no marking
 Terminals accept 6mm2 cable





Architrave Switches

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBQSA1
	Matt Black	10	★ WBQSA1-MB
	Matt White	10	★ WBQSA1-MW
2 gang	Gloss White	10	★ WBQSA2
	Matt Black	10	★ WBQSA2-MB
	Matt White	10	★ WBQSA2-MW
3 gang	Gloss White	5	★ WBQSA3
	Matt Black	5	★ WBQSA3-MB
	Matt White	5	★ WBQSA3-MW



WBQCKSV1

Switches - Vertical Cooker Switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Vertical cooker switch Double pole	40A, 2 Pole	Gloss White	1	★ WBQCKSV1
		Matt Black 1	1	★ WBQCKSV1-MB
		Matt White	1	★ WBQCKSV1-MW



WBQCKSH1

Switches - Horizontal Cooker Switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Horizontal cooker switch Double pole	40A, 2 Pole	Gloss White	1	★ WBQCKSH1
		Matt Black	1	★ WBQCKSH1-MB
		Matt White	1	★ WBQCKSH1-MW



- Removable covers for
- ease of painting

 Multiple mounting holes

 Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with retained tapered
- point 32mm fixing screws Spray matt finishes available in matt white and matt black

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- Terminal accommodates 4 x 2.5mm² cable
- High impact, high gloss UV stabilised polycarbonate construction

Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	Gloss White	10	★ WBQP1S
		Matt Black	10	★ WBQP1S-MB
		Matt White	10	★ WBQP1S-MW
	10A 'Round Earth'	Gloss White	10	★ WBQP1R
		Matt Black	10	★ WBQP1R-MB
		Matt White	10	★ WBQP1R-MW
	15A	Gloss White	5	★ WBQP115S
		Matt Black	5	★ WBQP115S-MB
		Matt White	5	★ WBQP115S-MW
Double sockets	10A	Gloss White	10	★ WBQP2S
		Matt Black	10	★ WBQP2S-MB
		Matt White	10	★ WBQP2S-MW
Double sockets with extra switch	10A	Gloss White	10	★ WBQP2XS
		Matt Black	10	★ WBQP2XS-MB
		Matt White	10	★ WBQP2XS-MW
Double sockets blanked extra switch	10A	Gloss White	10	★ WBQP2XSB
		Matt Black	10	★ WBQP2XSB-MB
		Matt White	10	★ WBQP2XSB-MW
Double sockets with USB Type A and	10A	Gloss White	1	★ WBQP2SUSBAC
Type C		Matt Black	1	★ WBQP2SUSBAC-MB
		Matt White	1	★ WBQP2SUSBAC-MW



WBQP2S



WBQP2S-MB



WBQP2SUSBAC

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
Single socket	10A	Gloss White	10	★ WBQP1VS
		Matt Black	10	★ WBQP1VS-MB
		Matt White	10	★ WBQP1VS-MW



WBQP1VS

Subject to technical modification



- High impact, high gloss UV stabilised polycarbonate
 Spray matt finishes available in matt white and matt black



WBQCV1



WBQCV4

Switch Cover Plates

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBQCV1
	Matt Black	10	★ WBQCV1-MB
	Matt White	10	★ WBQCV1-MW
2 gang	Gloss White	10	★ WBQCV2
	Matt Black	10	★ WBQCV2-MB
	Matt White	10	★ WBQCV2-MW
3 gang	Gloss White	10	★ WBQCV3
	Matt Black	10	★ WBQCV3-MB
	Matt White	10	★ WBQCV3-MW
4 gang	Gloss White	10	★ WBQCV4
	Matt Black	10	★ WBQCV4-MB
	Matt White	10	★ WBQCV4-MW
5 gang	Gloss White	10	★ WBQCV5
	Matt Black	10	★ WBQCV5-MB
	Matt White	10	★ WBQCV5-MW
6 gang	Gloss White	10	★ WBQCV6
	Matt Black	10	★ WBQCV6-MB
	Matt White	10	★ WBQCV6-MW



WBQCP1



Socket Cover Plates - horizontal

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	★ WBQCP1
	Matt Black	5	★ WBQCP1-MB
	Matt White	5	★ WBQCP1-MW
Cover double socket	Gloss White	5	★ WBQCP2
	Matt Black	5	★ WBQCP2-MB
	Matt White	5	★ WBQCP2-MW
Cover double socket with extra switch	Gloss White	5	★ WBQCP2XS
	Matt Black	5	★ WBQCP2XS-MB
	Matt White	5	★ WBQCP2XS-MW



WBQCPV1

Socket Cover Plates - vertical

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	★ WBQCPV1
	Matt Black	5	★ WBQCPV1-MB
	Matt White	5	→ WROCDV1-MW





Colour range





(MB) Matt White (MW)



- Multiple mounting holes
 Supplied with standard
 32mm fixing screws
 No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Spray matt finishes available in matt white and matt black
- Level to assist installation
- Hinged IP2x caps
- Screw retention





Considerate	Dietes	M-	N/I a a la c	:
Switch	Plates -	NO	Mecha	anisms

escription	Available colours	Box qty	Cat ref.
gang	Gloss White	10	★ WBHSP1
	Matt Black	10	★ WBHSP1-MB
	Matt White	10	★ WBHSP1-MW
gang	Gloss White	10	★ WBHSP2
	Matt Black	10	★ WBHSP2-MB
	Matt White	10	★ WBHSP2-MW
gang	Gloss White	10	★ WBHSP3
	Matt Black	10	★ WBHSP3-MB
	Matt White	10	★ WBHSP3-MW
gang	Gloss White	10	★ WBHSP4
	Matt Black	10	★ WBHSP4-MB
	Matt White	10	★ WBHSP4-MW
gang	Gloss White	10	★ WBHSP5
	Matt Black	10	★ WBHSP5-MB
	Matt White	10	★ WBHSP5-MW
gang	Gloss White	10	★ WBHSP6
	Matt Black	10	★ WBHSP6-MB
	Matt White	10	★ WBHSP6-MW
llank	Gloss White	5	★ WBHSPB
	Matt Black	5	★ WBHSPB-MB
	Matt White	5	★ WBHSPB-MW
rush cable entry	Gloss White	5	★ WBHSPCE
	Matt Black	5	★ WBHSPCE-MB
	Matt White	5	★ WBHSPCE-MW



WBHSP1



WBHSP6



WBHSPCE-MW

Switch Plates - Hybrid

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBHHSP1
	Matt Black	10	★ WBHHSP1-MB
	Matt White	10	★ WBHHSP1-MW
2 gang	Gloss White	10	★ WBHHSP2
	Matt Black	10	★ WBHHSP2-MB
	Matt White	10	★ WBHHSP2-MW
3 gang	Gloss White	10	★ WBHHSP3
	Matt Black	10	★ WBHHSP3-MB
	Matt White	10	★ WBHHSP3-MW
4 gang	Gloss White	10	★ WBHHSP4
	Matt Black	10	★ WBHHSP4-MB
	Matt White	10	★ WBHHSP4-MW



WBHHSP1



WBHHSP4



- Multiple mounting holes
- Supplied with captive
- Supplied with captive 32mm fixing screws
 No mechanism push back
 High impact, high gloss UV stabilised polycarbonate construction
 Level to assist installation
- Spray matt finishes available in matt white and matt black
- Switch when supplied are fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
 Hinged IP2x caps
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable





WBHSV1



WBHSV1-MB

Switches

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBHSV1
	Matt Black	10	★ WBHSV1-MB
	Matt White	10	★ WBHSV1-MW
2 gang	Gloss White	10	★ WBHSV2
	Matt Black	10	★ WBHSV2-MB
	Matt White	10	★ WBHSV2-MW
3 gang	Gloss White	5	★ WBHSV3
	Matt Black	5	★ WBHSV3-MB
	Matt White	5	★ WBHSV3-MW
4 gang	Gloss White	5	★ WBHSV4
	Matt Black	5	★ WBHSV4-MB
	Matt White	5	★ WBHSV4-MW
5 gang	Gloss White	5	★ WBHSV5
	Matt Black	5	★ WBHSV5-MB
	Matt White	5	★ WBHSV5-MW
6 gang	Gloss White	5	★ WBHSV6
	Matt Black	5	★ WBHSV6-MB
	Matt White	5	★ WBHSV6-MW



Switches - Architrave

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	5	★ WBHSA1
	Matt Black	5	★ WBHSA1-MB
	Matt White	5	★ WBHSA1-MW
2 gang	Gloss White	5	★ WBHSA2
	Matt Black	5	★ WBHSA2-MB
	Matt White	5	★ WBHSA2-MW
3 gang	Gloss White	5	★ WBHSA3
	Matt Black	5	★ WBHSA3-MB
	Matt White	5	★ WBHSA3-MW



- Multiple mounting holes
- Supplied with captive 32mm tapered point fixing screws
- No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Level to assist installation
- Spray matt finishes available in matt white and matt black
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Hinged IP2x caps
 Terminals accommodate 4 x 1.5mm² cable

Cooker switch features

- Double pole
- Comes with 2 covers
 - One marked with 'cooker'
- One with no marking
 Terminals accept 6mm2 cable





IP44 Switches - vertical


Cat ref.	Box qty	Available colours	Characteristics	Description
★ WBHWSV1	10	Gloss White	10A	1 gang
★ WBHWSV1-MB	10	Matt Black		
★ WBHWSV1-MW	10	Matt White		
★ WBHWSV2	10	Gloss White	10A	2 gang
★ WBHWSV2-MB	10	Matt Black		
★ WBHWSV2-MW	10	Matt White		
★ WBHWSV3	10	Gloss White	10A	3 gang
★ WBHWSV3-MB	10	Matt Black		
★ WBHWSV3-MW	10	Matt White		



WBHWSV1

IP44 Switches - horizontal

scription Charact	eristics Available colours	Box qty	Cat ref.
gang 10A	Gloss White	10	★ WBHWSH1
	Matt Black	10	★ WBHWSH1-MB
	Matt White	10	★ WBHWSH1-MW
gang 10A	Gloss White	10	★ WBHWSH2
	Matt Black	10	★ WBHWSH2-MB
	Matt White	10	★ WBHWSH2-MW
gang 10A	Gloss White	10	★ WBHWSH3
	Matt Black	10	★ WBHWSH3-MB
	Matt White	10	★ WBHWSH3-MW



WBHWSH1

Switches - Vertical Cooker Switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Vertical cooker switch	40A, 2 Pole	Gloss White	1	★ WBHCKSV1
Double pole		Matt Black	1	★ WBHCKSV1-MB
		Matt White	1	★ WBHCKSV1-MW



WBHCKSV1

Switches - Horizontal Cooker Switch

Description	Characteristics	Available colours	Box qty	Cat ref.
Horizontal cooker switch Double pole	40A, 2 Pole	Gloss White	1	★ WBHCKSH1
		Matt Black	1	★ WBHCKSH1-MB
		Matt White	1	★ WBHCKSH1-MW



WBHCKSH1

allure - Sockets

Features

- Removable covers for ease of painting
- Multiple mounting holesTerminal screws "backed off"
- Level to assist installation
- Bevelled and colour coded cable entries aligned for ease of termination Supplied with retained tapered
- point 32mm fixing screws
- Hinged IP2x caps
- Spray matt finishes available in matt white and matt black

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- High impact, high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



WBHP2S



WBHP2S-MB



WBHP2SUSBAC-MW

Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	Gloss White	10	★ WBHP1S
		Matt Black	10	★ WBHP1S-MB
		Matt White	10	★ WBHP1S-MW
	10A 'Round Earth'	Gloss White	10	★ WBHP1R
		Matt Black	10	★ WBHP1R-MB
		Matt White	10	★ WBHP1R-MW
	15A	Gloss White	5	★ WBHP115
		Matt Black	5	★ WBHP115-MB
		Matt White	5	★ WBHP115-MW
	20A	Gloss White	5	★ WBHP120
		Matt Black	5	★ WBHP120-MB
		Matt White	5	★ WBHP120-MW
Double sockets	10A	Gloss White	10	★ WBHP2S
		Matt Black	10	★ WBHP2S-MB
		Matt White	10	★ WBHP2S-MW
Double sockets with extra 16AX switch	10A	Gloss White	10	★ WBHP2XS
		Matt Black	10	★ WBHP2XS-MB
		Matt White	10	★ WBHP2XS-MW
Double sockets with extra switch position	10A	Gloss White	10	★ WBHP2XSB
(no mech)		Matt Black	10	★ WBHP2XSB-MB
		Matt White	10	★ WBHP2XSB-MW
Double sockets with USB Type A and	10A	Gloss White	1	★ WBHP2SUSBAC
Type C		Matt Black	1	★ WBHP2SUSBAC-MB
		Matt White	1	★ WBHP2SUSBAC-MW



WBHPIV-MB

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
		Gloss White	10	★ WBHP1V
		Matt Black	10	★ WBHP1V-MB
		Matt White	10	★ WBHP1V-MW



4 Gang Socket Cover Kit

Description	Characteristics	Available colours	Box qty	Cat ref.
		Gloss White	5	★ WBHA4PP
		Matt Black	5	★ WBHA4PP-MB
		Matt White	5	★ WBHA4PP-MW

Note: 2x allure double sockets (WBHP2S-xx) required (not supplied with kit)



- High impact, high gloss UV stabilised polycarbonateSpray matt finishes available in
- matt white and matt black

Switch Cover Plates

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	★ WBHCS1
	Matt Black	10	★ WBHCS1-MB
	Matt White	10	★ WBHCS1-MW
2 gang	Gloss White	10	★ WBHCS2
	Matt Black	10	★ WBHCS2-MB
	Matt White	10	★ WBHCS2-MW
3 gang	Gloss White	10	★ WBHCS3
	Matt Black	10	★ WBHCS3-MB
	Matt White	10	★ WBHCS3-MW
4 gang	Gloss White	10	★ WBHCS4
	Matt Black	10	★ WBHCS4-MB
	Matt White	10	★ WBHCS4-MW
5 gang	Gloss White	10	★ WBHCS5
	Matt Black	10	★ WBHCS5-MB
	Matt White	10	★ WBHCS5-MW
6 gang	Gloss White	10	★ WBHCS6
	Matt Black	10	★ WBHCS6-MB
	Matt White	10	★ WBHCS6-MW



WBHCS1



WBHCS4-MB

Socket Cover Plates - horizontal

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	★ WBHCP1
	Matt Black	5	★ WBHCP1-MB
	Matt White	5	★ WBHCP1-MW
Cover double socket	Gloss White	5	★ WBHCP2
	Matt Black	5	★ WBHCP2-MB
	Matt White	5	★ WBHCP2-MW
Cover double socket with extra switch	Gloss White	5	★ WBHCP2XS
	Matt Black	5	★ WBHCP2XS-MB
	Matt White	5	★ WBHCP2XS-MW





WBHCP2XS-MB

Socket Cover Plates - vertical

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	★ WBHCP1V
	Matt Black	5	★ WBHCP1V-MB
	Matt White	5	★ WBHCP1V-MW



WBHCP1V-MB

Subject to technical modification





Colour range



Decorative covers





- Multiple mounting holesSupplied with standard 32mm tapered point fixing screws
- No mechanism push back
 High impact high gloss UV stabilised
 Polycarbonate construction
 A x 1.5mm2 cable
- 16AX used as standard mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for



Switch Plates only - No Mechanisms





WBSHSP2



Cat ref	Box qty	Available colours	Description
WBSSP1	10	White	1 gang
WBSSP1-ME	10	Matt Black	
WBSSP1-MW	10	Matt White	
WBSSP2	10	White	2 gang
WBSSP2-ME	10	Matt Black	
WBSSP2-MW	10	Matt White	
WBSSP3	10	White	3 gang
WBSSP3-ME	10	Matt Black	
WBSSP3-MW	10	Matt White	
WBSSP4	10	White	4 gang
WBSSP4-ME	10	Matt Black	
WBSSP4-MW	10	Matt White	
WBSSP5	10	White	5 gang
WBSSP5-ME	10	Matt Black	
WBSSP5-MW	10	Matt White	
WBSSP6	10	White	6 gang
WBSSP6-ME	10	Matt Black	
WBSSP6-MW	10	Matt White	
WBSSPE	5	White	Blank
WBSHSP2	10	White	Hybrid Plates
WBSHSP2-ME	10	Matt Black	2 gang
WBSHSP2-MW	10	Matt White	
WBSHSP4	10	White	Hybrid Plates
WBSHSP4-ME	10	Matt Black	4 gang
WBSHSP4-MW	10	Matt White	



WBSSV1-MW



WBSSV1-MB

Switches

Description	Available colours	Box qty	Cat ref.
1 gang	White	10	WBSSV1
	Matt Black	10	WBSSV1-MB
	Matt White	10	WBSSV1-MW
2 gang	White	10	WBSSV2
	Matt Black	10	WBSSV2-MB
	Matt White	10	WBSSV2-MW
3 gang	White	5	WBSSV3
	Matt Black	5	WBSSV3-MB
	Matt White	5	WBSSV3-MW
4 gang	White	5	WBSSV4
	Matt Black	5	WBSSV4-MB
	Matt White	5	WBSSV4-MW
5 gang	White	5	WBSSV5
	Matt Black	5	WBSSV5-MB
	Matt White	5	WBSSV5-MW
6 gang	White	5	WBSSV6
	Matt Black	5	WBSSV6-MB
	Matt White	5	WBSSV6-MW



Switches and sockets silhouette - Sockets, Electronic Push Button and Cooker Switches

Features

- Removable covers for
- ease of painting
 Transparent blue mounting grid for easy installation
- Multiple mounting holes Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- Hi impact high gloss UV stabilised Polycarbonate construction
- Terminal accommodates 4 x 2.5mm2 cable
- Electronic PB switches are 5A

Sockets - horizontal

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	White	10	WBSP1S
		Matt Black	10	WBSP1S-MB
		Matt White	10	WBSP1S-MW
	10A 'Round Earth'	White	10	WBSP1R
		Matt Black	10	WBSP1R-MB
	15A	White	5	WBSP115S
		Matt Black	5	WBSP115S-MB
		Matt White	5	WBSP115S-MW
Double sockets	10A	White	10	WBSP2S
		Matt Black	10	WBSP2S-MB
		Matt White	10	WBSP2S-MW
Double socket with extra switch	10A	White	5	WBSP2XS
		Matt Black	5	WBSP2XS-MB
		Matt White	5	WBSP2XS-MW
Double sockets with USB Type A and	10A	White	1	★ WBSP2SUSBAC
Type C		Matt Black	1	★ WBSP2SUSBAC-MB
		Matt White	1	★ WBSP2SUSBAC-MW



WBSP2S



WBSP2S-MB

Sockets - vertical

Description	Characteristics	Available colours	Box qty	Cat ref.
Single sockets	10A	White	5	WBSP1VS
		Matt Black	5	WBSP1VS-MB
		Matt White	5	WBSP1VS-MW



WBSP1VS

Electronic Push Button Switches

Description	Available colours	Box qty	Cat ref.
1 gang	White	1	WBSEV1
2 gang	White	1	WBSEV2
3 gang	White	1	WBSEV3
4 gang	White	1	WBSEV4
5 gang	White	1	WBSEV5
6 gang	White	1	WBSEV6



WBSEV2

Switches - cooker switch

Description	Available colours	Box qty	Cat ref.
40A cooker switches 1 gang	Gloss White	1	WBSCKSV1
	Matt Black	1	WBSCKSV1-MB
	Matt White	1	WBSCKSV1-MW



WBSCKSV1

25 Subject to technical modification



- Hi impact high gloss UV stabilised Polycarbonate, real aluminium or real stainless steel construction
- Matt black, white or clear anodized aluminium or brushed stainless steel finish, to reduce finger printing







Switch Covers

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	5	WBSCV1
	Matt Black	5	WBSCV1-MB
	Matt White	5	WBSCV1-MW
	Aluminium	5	WBSCV1-AL
	Stainless Steel	5	WBSCV1-SS
2 gang	Gloss White	5	WBSCV2
	Matt Black	5	WBSCV2-MB
	Matt White	5	WBSCV2-MW
	Aluminium	5	WBSCV2-AL
	Stainless Steel	5	WBSCV2-SS
3 gang	Gloss White	5	WBSCV3
	Matt Black	5	WBSCV3-MB
	Matt White	5	WBSCV3-MW
	Aluminium	5	WBSCV3-AL
	Stainless Steel	5	WBSCV3-SS
4 gang	Gloss White	5	WBSCV4
	Matt Black	5	WBSCV4-MB
	Matt White	5	WBSCV4-MW
	Aluminium	5	WBSCV4-AL
	Stainless Steel	5	WBSCV4-SS
5 gang	Gloss White	5	WBSCV5
	Matt Black	5	WBSCV5-MB
	Matt White	5	WBSCV5-MW
	Aluminium	5	WBSCV5-AL
	Stainless Steel	5	WBSCV5-SS
6 gang	Gloss White	5	WBSCV6
	Matt Black	5	WBSCV6-MB
	Matt White	5	WBSCV6-MW
	Aluminium	5	WBSCV6-AL
	Stainless Steel	5	WBSCV6-SS
Blank	Matt Black	5	WBSCPB-MB
	Matt White	5	WBSCPB-MW
Special Application Plate	Aluminium	5	WBSCSEA2-AL
Suits WBSSEA2	Stainless Steel	5	WBSCSEA2-SS



- Hi impact high gloss UV stabilised Polycarbonate
 Spray matt finishes available in matt white and matt black

Socket Covers - horizontal

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	WBSCP1
	Matt Black	5	WBSCP1-MB
	Matt White	5	WBSCP1-MW
	Aluminium	5	WBSCP1-AL
	Stainless Steel	5	WBSCP1-SS
Cover double socket	Gloss White	5	WBSCP2
	Matt Black	5	WBSCP2-MB
	Matt White	5	WBSCP2-MW
	Aluminium	5	WBSCP2-AL
	Stainless Steel	5	WBSCP2-SS
Cover double socket with extra switch	Gloss White	5	WBSCP2X
	Matt Black	5	WBSCP2X-MB
	Matt White	5	WBSCP2X-MW
	Aluminium	5	WBSCP2X-AL
	Stainless Steel	5	WBSCP2X-SS



WBSCP2-SS



Socket Covers - vertical

Description	Available colours	Box qty	Cat ref.
Cover single socket	Gloss White	5	WBSVCP1
	Matt Black	5	WBSVCP1-MB
	Aluminium	5	WBSVCP1-AL
	Stainless Steel	5	WBSVCP1-SS



WBSVCP1-AL

27 Subject to technical modification





Colour range







Black (BK)



- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
 No mechanism push back
- High impact, high gloss UV stabilised polycarbonate construction
- Removable surrounds for ease of painting







Switch Plates only - No Mechanisms

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSP1
	Black	10	WBSP1-BK
2 gang	Gloss White	10	WBSP2
	Black	10	WBSP2-BK
3 gang	Gloss White	10	WBSP3
	Black	10	WBSP3-BK
4 gang	Gloss White	10	WBSP4
	Black	10	WBSP4-BK
5 gang	Gloss White	10	WBSP5
	Black	10	WBSP5-BK
6 gang	Gloss White	10	WBSP6
	Black	10	WBSP6-BK
Blank	Gloss White	10	WBSPB





- Transparent mounting grid for easy installation
- Multiple mounting holes
- Supplied with standard 32mm tapered point fixing screws
- No mechanism push backHigh impact, high gloss UV stabilised polycarbonate construction
- Removable surrounds for ease of painting
- Rocker features in-built arc shield and chemical resistant pivots
- All plates fitted with 16AX mechanisms (suitable for fluorescent loads)
- 2 way and loop terminal as standard
- Combination head screws Phillip's #1 'backed off' for ease of cable insertion
- Terminals accommodate 4 x 1.5mm² cable





Large Plate Switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSV1
	Black	10	WBSV1-BK
2 gang	Gloss White	10	WBSV2
	Black	10	WBSV2-BK
3 gang	Gloss White	5	WBSV3
	Black	5	WBSV3-BK
4 gang	Gloss White	5	WBSV4
	Black	5	WBSV4-BK
5 gang	Gloss White	5	WBSV5
	Black	5	WBSV5-BK
6 gang	Gloss White	5	WBSV6
	Black	5	WBSV6-BK



WBSV1-BK

Large Plate switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSH1
2 gang	Gloss White	10	WBSH2
3 gang	Gloss White	5	WBSH3



WBSH2



Architrave Switches features

- Supplied with both a premiere and a visage cover for your choice
- Common cover and mounting centres
 - Supplied with 12mm tapered
- point fixing screws

Fan Controller features

- Fan knobs cannot be removed once installed into plate

- Card Entry features
 Micro switch controlled
 Supplied with card





Architrave Switches

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	10	WBSA1
	Black	10	WBSA1-BK
2 gang	Gloss White	10	WBSA2
	Black	10	WBSA2-BK
3 gang	Gloss White	5	WBSA3
	Black	5	WBSA3-BK



WBSF3

Other products

Description	Available colours	Box qty	Cat ref.
Fan controller 3 speed capacitance	Gloss White	1	WBSF3
250V 75A	Black	1	WBSF3-BK
TV plate - PAL 75 OHM	Gloss White	10	WBTV75
TV plate - 'F' to 'F' pay TV	Gloss White	10	WBTV75PY
Permanent connection plate	Gloss White	5	WBPPCU



- Removable surrounds for ease of painting
- Transparent mounting grid
- ransparent mounting grid for easy installation
 Multiple mounting holes
 Supplied with standard 32mm fixing screws
 High impact, high gloss UV stabilized polyagetypacts
- stabilised polycarbonate

IP66 features

- 16A rated mechanism
- 2 way as standard
- Loop terminal as standard
- Terminals take 4 x 1.5mm² cable
- All IP66 switches can be mounted onto the WBBMI for surface mounting
- Designed to ensure IP66 when installed on suitable flat, smooth, non water absorbent surfaces
- Factory sealed IP tested gaskets
- IP rating maintained with sealing plugs in place





IP66 Large Plate Switches - vertical

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	1	WBWSV1
	Black	1	WBWSV1-BK
2 gang	Gloss White	1	WBWSV2
	Black	1	WBWSV2-BK
3 gang	Gloss White	1	WBWSV3
	Black	1	WBWSV3-BK
4 gang	Gloss White	1	WBWSV4
	Black	1	WBWSV4-BK
3 gang with Light/Fan/Heat	Gloss White	1	WBWSV3LFH
printed mechs	Black	1	WBWSV3LFH-BK
4 gang with Light/Fan/Heat/Heat printed mechs	Gloss White	1	WBWSV4LFHH
	Black	1	WBWSV4LFHH-BK



WBWSV3LFH



WBWSV4LFHH-BK

IP66 Large Plate Switches - horizontal

Description	Available colours	Box qty	Cat ref.
1 gang	Gloss White	1	WBWSH1
	Black	1	WBWSH1-BK
2 gang	Gloss White	1	WBWSH2
	Black	1	WBWSH2-BK
3 gang	Gloss White	1	WBWSH3
	Black	1	WBWSH3-BK
4 gang	Gloss White	1	WBWSH4
	Black	1	WBWSH4-BK
3 gang with Light/Fan/Heat	Gloss White	1	WBWSH3LFH
printed mechs	Black	1	WBWSH3LFH-BK
4 gang with Light/Fan/Heat/Heat	Gloss White	1	WBWSH4LFHH
printed mechs	Black	1	WBWSH4LFHH-BK



WBWSH3LFH



Subject to technical modification



- Common cover Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws

Technical data

- All sockets 250V 50Hz rated
- Extra switch models fitted with 16AX mechanisms
- High impact, high gloss UV stabilised polycarbonate construction
- Terminal accommodates 4 x 2.5mm² cable



WBP1S



WBP115S-BK

Single Sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	Gloss White	10	WBP1S
	Black	10	WBP1S-BK
15A	Gloss White	5	WBP115S
	Black	5	WBP115S-BK
20A	Gloss White	5	WBP120
10A double pole	Gloss White	10	WBP1DS
15A	Gloss White	5	WBP115DS
10A with extra switch	Gloss White	5	WBP1XS
	Black	5	WBP1XS-BK
10A with 2 extra switches	Gloss White	5	WBP1XXS
	Black	5	WBP1XXS-BK
10A with round earth pin	Gloss White	5	WBP1R
	Black	5	WBP1R-BK



WBP1VS



Single Sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	Gloss White	5	WBP1VS
	Black	5	WBP1VS-BK
	Red	5	WBP1VS-RD
15A	Gloss White	5	WBP115VS
	Black	5	WBP115VS-BK
10A with extra switch	Gloss White	5	WBP1VXS
	Black	5	WBP1VXS-BK
10A with 2 extra switches	Gloss White	5	WBP1VXXS
	Black	5	WBP1VXXS-BK





- Common cover
- Removable covers for ease of painting
- Transparent mounting grid for easy installation
- Multiple mounting holes
- Terminal screws "backed off"
- Bevelled and colour coded cable entries aligned for ease of termination
- Supplied with standard tapered point 32mm fixing screws
- 4 outlet sockets have same mounting centres as double socket outlets.

Technical data

- All sockets 250V 50Hz rated with 16AX mechanisms
- Extra switch models fitted with 16AX mechanisms
- High impact high gloss UV stabilised polycarbonate construction
 Terminal accommodates
- Terminal accommodate 4 x 2.5mm² cable

Double Sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	Gloss White	10	WBP2S
	Black	10	WBP2S-BK
	Red	10	WBP2S-RD
10A double pole	Gloss White	10	WBP2DS
10A with extra switch	White	5	WBP2XS
	Black	5	WBP2XS-BK
10A with circuit id	Gloss White	10	WBP2CID
	Black	10	WBP2CID-BK
Double sockets + USB Type A and C	Gloss White	1	WBP2SUSBAC



WBP:

Double Sockets - vertical

Description	Available colours	Box qty	Cat ref.
10A	Gloss White	10	WBP2VS
	Black	10	WBP2VS-BK
10A with extra switch	Gloss White	5	WBP2VXS
	Black	5	WBP2VXS-BK



WBP2VS

4 Outlet Sockets - horizontal

Description	Available colours	Box qty	Cat ref.
10A	Gloss White	4	WBP4S
	Black	4	WBP4S-BK
10A with extra switch	Gloss White	4	WBP4XS
	Black	4	WBP4XS-BK



WBP4XS

Subject to technical modification 35

Complete the picture



Modules, mechanisms and accessories

Mechanisms - Electronic Push Buttons and Dimmers	38
Mechanisms - 250V	39
Mechanisms - 250V Printed	40
Mechanisms - 250V Rotary	41
Mechanisms - TV, Data and Audio	42
Mechanisms - Special Mechanisms	43
Accessories	44
Weatherproof Switches and Sockets	46
Weatherproof Isolators - IP66	47



Features:

- Slave Push Button Switch available
- All electronic mechanisms are EMC compliant
- Supplied with White, Matt Black and Matt White caps or rotary knob





Electronic Push Button Switch Mechanism

Description	Available colours	Box qty	Cat ref.
230/240V AC 1200W	White Complete with MB and MW interchangeable coloured caps	5	WBME5A

Electronic Push Button Universal Dimmer Mechanism

Description	Available colours	Box qty	Cat ref.
250W - LED loads 300W - Incandescent loads	White Complete with MB and MW interchangeable coloured caps	5	★ WBMDUPB



Electronic Universal Rotary Dimmer Mechanism

Description	Available colours	Box qty	Cat ref.
250W - LED loads 300W - Incandescent loads	White Complete with MB and MW knobs	5	★ WBMDUR

Electronic Push Button Slave Mechanism

Description	Available colours	Box qty	Cat ref.
To be used only in conjunction with eithe WBMDUPB, WBMDUR or WBME5A.	White Complete with MB and MW interchangeable coloured caps	5	* WBMSLL



Dimmer Caps and Knobs

Description	Available colours	Cat ref.
Dimmer caps for WBMDUPB and	Gloss White	★ WBAEDB
WBMSLL	Gloss Black	★ WBAEDB-BK
	Matt Black	★ WBAEDB-MB
	Matt White	★ WBAEDB-MW
Dimmer knob for WBMDUR	Gloss White	★ WBAEDK
	Gloss Black	★ WBAEDK-BK
	Matt Black	★ WBAEDK-MB
	Matt White	★ WBAEDK-MW







Features

- Easy mechanism removal
- Rear housing colour coded for easy
- recognition of mechanism type

 All terminal screws are combination head Phillips No. 1 and backed off

Technical data:

- 3mm contact gap in WBM16AXAll 250V mechanism's
- have M60 motor rating
- 32A and 20AX mechanism 'socket size' terminal accommodates 2 x 4mm2 cables
- Intermediate and double pole have 75% of terminal screws accessible from 1 direction
- Trminals accommodate 4 x 1.5mm2 cables
- Push mech rated at 10A
- Tactile mech rated 6A





250V PB Mechanisms

Description	Available colours	Box qty	Cat ref.
LED for push button	Blue	20	★ WBAPBLED
10AX flush push button - 2 way	White	5	★ WBMPB
	Matt Black	5	★ WBMPB-MB
	Matt White	5	★ WBMPB-MW
6AX 240V push button tactile/momentary mech (Available early 2022)	White	5	★ WBMTPB
	Matt Black	5	★ WBMTPB-MB
	Matt White	5	★ WBMTPB-MW



250V Mechanisms

Cat ref.	Box qty	Available colours	Description
WBM16AX	5	White	16A AX rated STANDARD
WBM16AX-BK	5	Black	
WBM16AX-MW	5	Matt White	
WBM16AX-MB	5	Matt Black	
WBM16AX-RD	5	Red	
WBM20	5	White	20A Standard
WBM20-BK	5	Black	
WBM20-MW	5	Matt White	
WBM20-MB	5	Matt Black	
WBM16AXL	5	White	16A AX rated with lens
WBM16AXL-BK	5	Black	
WBM16AXN	5	White	16A AX rated with neon light
WBM10D	5	White	10A double pole
WBM10D-BK	5	Black	
WBM10D-MW	5	Matt White	
WBM10D-MB	5	Matt Black	
WBM10I	5	White	10A intermediate
WBM10I-BK	5	Black	
WBM10I-MW	5	Matt White	
WBM10I-MB	5	Matt Black	
WBM20AX	5	White	20A AX rated 1 way only
WBM20AX-BK	5	Black	
WBM20AX-MW	5	Matt White	
WBM20AX-MB	5	Matt Black	
WBM32	5	White	32A 1 way only
WBM32-BK	5	Black	
WBM32-MW	5	Matt White	
WBM32-MB	5	Matt Black	
WBM15P	5	White	15A press
WBM15P-MW	5	Matt White	
WBM15P-MB	5	Matt Black	
WBM15PB	5	White	15A without printed "press"
WBM15PB-MW	5	Matt White	
WBM15PB-MB	5	Matt Black	



WBM16AX Standard Mechanism





WBM16AXN



WBM10D-MB



WBM10I-MB



WBM15P-MB



Features

- Easy mechanism removal
- Rear housing colour coded for easy
- recognition of mechanism type
 All terminal screws are combination
 head Phillips No. 1 and backed off

Technical data

- 3mm contact gap in WBM16AXAll 250V mechanism's
- have M60 motor rating
- Intermediate and double pole have 75% of terminal screws accessible from 1 direction
- 10A, 16AX and 20A terminals accommodate 4 x 1.5mm2 cables
- Push mech rated at 10A

- 32A and 20AX mechanism 'socket size' terminal accommodates 2 x 4mm2 cables







WBM20F



WBM20H





250V Printed Mechanisms

Cat re	Box qty	Available colours	Description
WBM16	5	White	'LIGHT' 16A AX 2 way
WBM16L-BI	5	Black	
WBM16L-MV	5	Matt White	
WBM16L-MI	5	Matt Black	
WBM20	5	White	FAN' 20A 1 way
WBM20F-BI	5	Black	
WBM20F-MV	5	Matt White	
WBM20F-MI	5	Matt Black	
WBM20I	5	White	HEAT' 20A 1 way
WBM20H-BI	5	Black	
WBM20H-MV	5	Matt White	
WBM20H-MI	5	Matt Black	
WBM20HV	5	White	HOT WATER' 20A 1 way
WBM32HW-MI	5	Matt Black	HOT WATER' 32A 1 way
WBM32HW-MV	5	Matt White	
WBM20SI	5	O White	SENSOR' 20A 1 way
WBM32H0	5	White	HOB' 32A 1 way
WBM32HO-BI	5	Black	
WBM32HO-MV	5	Matt White	
WBM32H-MI	5	Matt Black	
WBM320	5	White	OVEN' 32A 1 way
WBM32O-BI	5	Black	
WBM32O-MV	5	Matt White	
WBM32O-MI	5	Matt Black	
WBM32I	5	White	RANGE' 32A 1 way
WBM32R-BI	5	Black	
WBM32R-MV	5	Matt White	
WBM32R-MI	5	Matt Black	



Feature

- Easy mechanism removal

Technical data

- Terminals accommodate 4 x 1.5mm2 cables





250V Rotary Mechanisms			
Description	Available colours	Box qty	Cat ref.
10A 3 position rotary	White	10	WBM10R3
10A 3 pos. rotary - w/ capacitor (fan)	Matt Black	10	WBMSF3-MB
	Matt White	10	WBMSF3-MW
10A 3 pos. rotary - Auto/Manual	White	10	WBM10RAM
10A 3 pos. rotary - Lo/Hi	White	10	WBM10RLH
10A 3 pos. rotary - Sensor	White	10	WBM10RSN
10A 3 pos. rotary - Up/Down	White	10	WBM10RUD
Rotary Knob to suit rotary mechs	White	10	WBARK1
	Black	10	WBARK1-BK
	Matt White	10	WBARK1-MW
	Matt Black	10	WBARK1-MB



WBM10R3





Rotoloc Data Mechanisms

- Data Mechs are tested and approved to the following standards where relevant:

ANSI/TIA-568-C.2-2009 ISO/IEC 11801-1 IEC 60603-7-2 AS/CA S008:2015I

Audio Connectors

- RCA jacks have 'F' connection at rear
- Available in multiple colours for maximum installation flexibility
- Speaker connectors suitable for both bare wire termination and banana plugs





WBMTV75PF



WBMTV75PY-MB

TV Mechanisms

Description	Available colours	Box qty	Cat ref.
'F' to PAL type mechanism	White	10	WBMTV75PF
	Black	10	WBMTV75PF-BK
	Matt White	10	WBMTV75PF-MW
	Matt Black	10	WBMTV75PF-MB
TV socket mechanism	White	10	WBMTV75PY
3GHz 750hm Foxtel approved	Black	10	WBMTV75PY-BK
	Matt White	10	WBMTV75PY-MW
	Matt Black	10	WBMTV75PY-MB



WBMCAT6-MW



WBMCAT6A

Rotoloc Data Mechanisms

Description	Available colours	Box qty	Cat ref.
8 Pin Cat5e	White	10	WBMCAT5
8 Pin Cat6	White	10	WBMCAT6
	Black	10	WBMCAT6-BK
	Matt White	10	WBMCAT6-MW
	Matt Black	10	WBMCAT6-MB
8 Pin Cat6A	White	10	WBMCAT6A



WBMHDMI

Audio Connectors

Description	Available colours	Box qty	Cat ref.
RCA connectors for composite audio/video - 1 x red, 1 x white, 1 x yellow	White	5	WBMHDMI
	Matt Black	5	WBMHDMI-MB
	Matt White	5	WBMHDMI-MW
	White	5	WBMRCA1
	Black	5	WBMRCA1-BK



Circuit ID features:

- Circuit ID cannot be removed from front of plate once installed

Technical data

- Cord grip mechanism will accept light and heavy duty flexible cables
 Circuit ID labels supplied in
- sheets of 10, A4 size.





Special Mechanisms

Description	Available colours	Box qty	Cat ref.
Cord grip mechanism	White	5	WBMPCU
Circuit ID mechanism	White	5	WBMCID
Blank mechanism	White	5	WBMBP
	Black	5	WBMBP-BK
ELV tactile mechanism	White	5	WBMLVT
extra low voltage tactile switch momentary contact	Black	5	WBMLVT-BK
	Matt White	5	WBMLVT-MW
ELV tactile mechanism + neon extra low	White	5	WBMLVTN
voltage tactile switch with LED indication momentary contact	Black	5	WBMLVTN-BK
	Matt White	5	WBMLVTN-MW
	Matt Black	5	WBMLVTN-MB
Neon lights	250V Neon – red	5	WBM250NRD
	250V Neon – amber	5	WBM250NAM
	250V Neon – green	5	WBM250NGR
	250V Neon – clear	5	WBM250NCL
USB Mechanism	White	1	★ WBMUSBAC
1 x TYPE A 1 x TYPE C	Black	1	★ WBMUSBAC-BK
-	Matt White	1	★ WBMUSBAC-MW
	Matt Black	1	★ WBMUSBAC-MB



WBMCID



WBMBP







Special Keystone Data to Rotoloc Adaptors

Description	Available colours	Box qty	Cat ref.
Suits Panduit®	White		WBAKAPAN
Suits SYSTIMAX®	White		WBAKASYS
Suits general type	White		WBAKAGEN



WBAKAPAN



WBAKASYS



Note: Always check fitting of data mech as some models may vary.



- Mounting Block features
 Hi Impact UV stabilised Polycarbonate
- Compatible with all large plate switches and sockets

Surface sockets features

- Safety Shroud for extra security and safety.
 Can be tested when fitted to mounting plate



WBBMD



WBSBMD



WBBMI

Mounting Accessories

Description	Available colours	Box qty	Cat ref.
premiere Mounting block 32mm deep	White	5	WBBMD
	Black	5	WBBMD-BK
silhouette mounting block 32mm deep	White	5	WBSBMD
	Matt Black	5	WBSBMD-MB
allure mounting block	White	5	★ WBHMBD
	Matt Black	5	★ WBHMBD-MB
finesse mounting block 84mm interaxe	White	5	★ WBQMBD
	Matt Black	5	★ WBQMBD-MB
premiere Mounting block 18mm deep	White	5	WBBMS
premiere Mounting block to suit 4 gang outlet	White	4	WBBM4
Insulated back to suit 4 gang mounting block	White	8	WBBM4BP
premiere Insulated mounting block 32mm	White	10	WBBMI
deep	Black	10	WBBMI-BK
premiere Surface mounting kit 29mm	White	5	WBBSMK
deep suits premiere plates only	Black	5	WBBSMK-BK
Wall box 1 gang moulded plastic		10	WBBWB



Surface Sockets

Description	Characteristics Available colour		Box qty	Cat ref.
Single surface sockets	10A	White	10	WBAP1
	15A	White	10	WBAP115
with round earth pin	10A	White	10	WBAP1R
Replacement mounting plate			30	WBAP1MP



Junction Box feature

 Includes quickfix screws and terminal connectors

Shrouds

- Shroud for insulating live parts

Junction Boxes

Description	Available colours	Box qty	Cat ref.
Giant junction box with quick fix screws and 4 cable connectors	White	5	WBAJB4
Standard junction box with quick fix screws and 3 cable connectors	White	10	WBAJB4S



Shrouds and Covers

Description	Box qty	Cat ref.
Insulating shroud size 2 suits premiere products	10	WBBS2
Paint cover suits premiere products only	30	WBAPC



WBBS2

Miscellaneous

Description	Box qty	Cat ref.
M3.5 X 50mm long pan head tapered point mounting screw 50 screws per box	50	WBASC50
Mechanism removal tool		WBMS
Screw connectors - single	100	WBAC1B
Screw connectors - twin	50	WBAC2B





WBAC2E

Subject to technical modification 45



Description

Our surface mounted range of IP rated switches and sockets are designed for outdoor applications. Easy to install with two single account fair. with two single screws fixing the top cover to the base.

Electrical Specification Switch - 16A, 250V AC Single pole 2 way with loop Socket - 10/15A, 250V AC Single pole

Mechanical specification

- IP66 for switchesIP53 for sockets
- External material is UV stabilised polycarbonate



Switches

Description	Characteristics	Box qty	Cat ref.
16A IP66 switches	1 gang	1	WBWS116
	2 gang	1	WBWS216



WBWP1S

Single Sockets

Description	Characteristics	Box qty	Cat ref.
IP53 single socket	10A	1	WBWP1S
	15A	1	WBWP115S
IP53 single socket (White)	10A	1	★ WBWP1S-W
	15A	1	★ WBWP115S-W



WBWP2S

10A Double Sockets

Description	Characteristics	Box qty	Cat ref.
10A, IP53 double socket		1	WBWP2S
	shallow mount	1	WBWP2SH
10A, IP53 double socket (White)		1	★ WBWP2S-W
	shallow mount	1	★ WBWP2SH-W



WBWP2SH



Description

Our range of Weatherproof Isolators are designed to be used in indoor or outdoor applications with IP66 degree of protection. They are switch disconnectors for 2, 3 and 4 pole supply, from 20A to 63A. Rated at AC-23A, they can also be used to isolate motor/compressor loads without derating. They provide ample wiring room and are easy to install with a 2 screw quick release top cover.

Electrical Specification

- AS/NZS IEC 60947-3
- Rated voltage: 250V AC 50/60Hz 440V AC 50/60Hz
- Utilization category AC-21A, AC-22A, AC-23A for switching any type of load from resistive to highly inductive loads

Mechanical Specification

- IP66
- External material is UV stabilised polycarbonate
- Ø25mm top and bottom cable entry hole caps
- Ø25mm and Ø20mm conduit entry knock-cuts
- Ø20mm mounting holes
- Handle provides Ø6mm shank padlocking facility (ON & OFF position)

2 pole Isolators

•		Operations	Operational power input			
Description	Characteristics	AC-21A	AC-22A	AC-23A	Box qty	Cat ref.
IP66	20A	4.8kW	4.0kW	3.3kW	1	JG220IN
77	32A	7.6kW	6.4kW	5.2kW	1	JG232IN
	40A	9.5kW	8.0kW	6.5kW	1	JG240IN
	63A	15kW	12.6kW	10.2kW	1	JG263IN

Operational power input

Operational power input

Operational power input



JG240IN

3 pole Isolators

Description	Characteristics	AC-21A	AC-22A	AC-23A	Box qty	Cat ref.
IP66	20A	14.5kW	12.2kW	9.9kW	1	JG320IN
/// //	32A	23.2kW	19.5kW	15.9kW	1	JG332IN
	40A	29kW	24.4kW	19.8kW	1	JG340IN



JG340IN

4 pole Isolators

Description	Characteristics	AC-21A	AC-22A	AC-23A	Box qty	Cat ref.
IP66	20A	14.5kW	12.2kW	9.9kW	1	JG420IN
N	32A	23.2kW	19.5kW	15.9kW	1	JG432IN
4 4 4	40A	29kW	24.4kW	19.8kW	1	JG440IN
\\\	63A	45.6kW	38.4kW	31.2kW	1	JG463IN



JG440IN

Subject to technical modification 47



Hager Electro Pty Ltd Unit 17/2-8 South Street Rydalmere NSW 2116

Phone: 1300 850 253 Fax: 1300 424 372

customerservice@hagerelectro.com.au

hagerelectro.com.au