MERCATOR ikuü

MERCATOR ikuü

Home | All Devices | Living | Kitchen | D

- Light Bulb
- Camera
- 2 Socket USB
- Motion Sensor
- Ceiling Fan
- Light Switch
- Ceiling Light
- Adaptor
- Home Hub
- Downlights
- Downlight 1
- Downlight 2

mercator.com.au

ikuu.com.au

Simple to Install

Simple wiring for easy installation.
No additional wiring needed.
Fits standard mounting accessories.

Affordable, Luxurious and Convenient

MERCATOR ikuü

Minota Smart DC Ceiling Fan

Edith & Ava Pendants

Mercator Ikuü is simple to install, quick to set up and easy to use. The intuitively designed app and broad range of affordable luxury products provide a convenient way to create an entirely personalised system that works the way you want.

To view the entire Mercator Ikuü range, visit www.ikuu.com.au

Designed for Australian Electrical contractors. See how easy it is to install Mercator Ikuü

Touch

Use the app

Voice Command

Australian Owned, Designed, Operated and Supported

1962
Founded in Melbourne by Syd Kleerkoper.

1973
Achieved $1M in annual sales.

1975
Russell Levy joined the company. The business is part of the Sun Electric Group.

1977
Russell Levy takes over as General Manager.

1978
Sun Electric Group together with Mercator is acquired by Burns Philp.

1983
The company becomes privately owned when Russell Levy buys the business from Burns Philp.

1986
Russell's brother, Barry Levy joins the business as a shareholder, heading up Sales and Marketing.

1990
Established a new company logo, still used to this day.

▲ **MERCATOR**

1991
Launch 1st Bright Ideas letter box drop promotional campaign through independent lighting retailers.

1992
Relocated from Abbotsford to Brunswick with larger warehouse. First employment of mechanical warehousing equipment.

1996
Commenced trading with Bunnings.

1999
Commenced trading with Officeworks.

2000
Installed Momentum Pro software program.

2001
- Appointment of first Commercial Manager to oversee day to day operations.
- Expansion into portable lighting through the acquisition of Austrabeam brand table and floor lamps.

▲ **AUSTRABEAM**

2002
- Relocated to current premises at Coolaroo. 12,500m²
- By this time the business has warehouse facilities in Melbourne, Sydney, Brisbane and Perth.

2003
Establishment of Executive Management Team.

2006
Implementation of Pulse Warehouse Management System brings improved inventory and picking accuracy, logistical efficiencies.

2007
- Commenced selling Ceiling Fans through independent retailers. Quickly grows to become a major part of the business.
- Joined the Lighting Council Australia.
- Established Ecolite brand for energy efficient products.

eco-lite®

Lighting Council
AUSTRALIA
MEMBER

2008
Expansion of business into New Zealand.

2011
Russell and Barry celebrate their 25 year partnership.

2012
Launch of first LED downlight, Equinox series.

2013
Total warehousing capacity increased to over 20,000m² to cater for increased sales growth.

2014
Signed up to the Australian Packaging Covenant.

2016
- Russell Levy and Barry Levy retire.
- Appointment of new CEO to oversee implementation of strategic vision.
- Company celebrates 50th Bright Ideas promotional campaign.

2019
- The business is acquired by Arlec, providing new opportunities for growth

2020
- Mercator Ikuü launch of over 100 lines of smart product across categories including wiring accessories

2021
- Mercator Ikuü continues to expand the range.
- More than 10,000 devices activated

smart future

Australian owned Company

Since foundation Mercator has been inspiring Australians with affordable lighting and fan designs that bring comfort, style and function to homes and offices across the country. Our team continues to Create, Inspire and Innovate because we are passionate about bringing the latest high quality, affordable designs into the homes of all Australians. This philosophy extends through our design and supply chain and into our continual technological development.

▲ **MERCATOR**
CREATE • INSPIRE • INNOVATE

A Complete Range of Products, All in a Single App

MERCATOR ikuü

Mercator Ikuü provides a complete range of products all in a single app. This allows for enhanced flexibility and control over how your products interact with each other.

Voice control gives you even more flexibility in how you use your products. Mercator Ikuü is compatible with both Google Assistant and Amazon Alexa.

The app is available for iOS and android devices.

Mercator Ikuü has a product for every room.
To see the full range visit **www.ikuu.com.au**

works with
Hey Google

works with | **alexa**

Access all your Mercator Ikuü devices from anywhere using WiFi or mobile data.

Downlight

Downlight

Motion Sensor

Power Point

Ceiling Light

Ceiling Fan

Light Switch

Powerpoint with USB

Security Camera

Powerpoint

Motion Sensor

Panel Light

Combination Sensor

Downlight

Video Door Chime

Power Board

GET IT ON
Google Play

Download on the
App Store

Download the Mercator Ikuü app from either the Google Play or Apple App Stores. Scan the QR code to download the app.

Hands Full?
Try Voice Control

Voice control gives you the flexibility of controlling your products without having to use a mobile device or physical switch.

Access a wide range of features including adjusting the brightness of your lights, turning devices on or off or activating scenes.

MERCATOR ikuü

"turn on the kitchen lights"

works with **Hey Google**

works with **alexa**

Peace of Mind

Worried that you left something on when you left the house? With Mercator Ikuü, you can check your appliances from anywhere and turn them off remotely if needed.

Smart IR universal remotes can control any IR device such as AC units and TVs.

Power points can turn non-smart products such as heaters on or off.

- Save the environment, and your wallet
- Track your energy costs with power monitoring
- View your live energy use
- Compare the energy usage of previous months

Double Power Point with USB

Motion Sensor

Combination Sensor

Light Switch

Universal IR Remote

Downlight

Easy Retrofit

With Mercator Ikuü, you can easily upgrade to a smart home system without replacing existing non-smart products.

Mercator Ikuü switches, power points and the smart universal remote can transform existing non-smart products, such as lights, TVs and air conditioners, into smart products controlled via the app or voice.

Instinct Ceiling Fan

Madrid Pendants

12

13

MERCATOR ikuü

Home All Devices Living Kitchen D

Light Bulb	Camera	2 Socket USB
Motion Sensor	Ceiling Fan	Light Switch
Ceiling Light	Adaptor	Home Hub
Downlights	Downlight 1	Downlight 2

Single adaptor Dimmer Light Switch Fan Switch Double Power Point Universal IR Remote Light Globe

A Light Switch, but More…

Motion, contact and temperature sensors ensure your products respond to your daily routine, automatically.

Scheduling and count-down timers ensure you can have your product turning on and off, precisely when you need it.

On   Off

Light switches also available in black

14

15

Control your bathroom heater via a Mercator Ikuü smart wall switch.

Domino 3-in-1 Bathroom Heater

Light Switch

Strip Light

Motion Sensor

Light Switch

Inline Switch

Single Power Point

Light Bulb

Camera

2 Socket USB

Motion Sensor

Ceiling Fan

Light Switch

Ceiling Light

Adaptor

Home Hub

Downlights

Downlight 1

Downlight 2

Home   All Devices   Living   Kitchen

Smart Security Solutions

Enjoy perfectly illuminated outdoor lighting with
Mercator Ikuü's automation sunrise and sunset options.

Receive alerts when motion is detected outside
your home, for peace of mind while you're away
or when you're calling it a night.

16

17

App Device List

Light Bulb

Camera

2 Socket USB

Motion Sensor

Ceiling Fan

Light Switch

Ceiling Light

Adaptor

Home Hub

Downlights

Downlight 1

Downlight 2

Product Labels

Outdoor Power Point

Inline Switch
[cavity install]

Video Door Chime

Security Camera

Motion Sensor

90mm Downlight

Outdoor Single Adaptor

Designed for Australian Electrical Contractors

Caprice Ceiling Fan with Light

Morrissey Pendant

Simple to Install

Simple wiring for easy installation.
No additional wiring needed.
Fits standard mounting accessories.

No Training Required

However, all hard-wired products can only be installed by a licensed electrician and are not suitable for DIY.

Easy Retrofit

Easily retrofit existing switches and power outlets - with and without neutral options available.

Added Value

The affordable luxury your customer has been waiting for. Increase convenience and comfort.

In-wall Solutions
Adds versatility enabling you to keep existing wall plates

SSWRM-WIFI
Rotary Dimmer Mechanism

SISW11-WIFI
Inline switch compatible with momentary push button switch

SPBS01G
Plug Base

SSWM
Switch Mechanism for Retrofit

Touch switches are a versatile solution that enable control via touch, voice or the app.

Large terminal size makes installation easy.

Being retrofittable and scalable allows both new and existing homes to build on their Mercator Ikuü system in the future.

SSW01G
Single Switch

SSW02G
Double Switch

SSW03GMBK
Triple Switch

SSW04GMBK
Quad Switch

Also available in matt black

SSWD01G
Single Dimmer Switch

SSWF01G
AC Fan Controller

Worry-Free Installation and Simple Configuration

Mercator Ikuü products are as easy to install as conventional non-smart versions, but provide greater utility and higher satisfaction for users.

Cutout template provided

	Protocol	
	zigbee	**Wifi**
Neutral required	Varies	Y
Features mesh technology	Y	N
Requires hub	Y	N
Controllable via Google Assistant or Amazon Alexa*	Y	Y
Products can interact together for a whole-of-home solution	Y	Y
Access the Mercator Ikuü app from anywhere via WiFi or mobile data	Y	Y
Features child-lock, scheduling and various timer options	Y	Y

Mercator Ikuü provides the advantages of each protocol, without the cumbersome effort of having to navigate between different apps for different products.

* Compatibility varies product to product. Check individual product details.

zigbee

Zigbee is a reliable and low latency method of wireless communication. It features mesh technology in selected products for greater range making it easier to configure a whole-of-home solution.

The Mercator Ikuü Zigbee wiring products are Zigbee 3.0 compliant. With 2 different hub options, Zigbee can cater to both residential and commercial settings. By using a hub, it is much easier to pair and control large numbers of products.

WiFi is a widely available method of wireless communication.

There are no additional costs surrounding hubs/bridges/gateways.

SGW002
Home Hub can connect to up to 50 Mercator Ikuü Zigbee products.

SGW003
Pro Hub can connect to up to 200 Mercator Ikuü Zigbee products*.

Description	Image	Product Code	Protocol	Rating	Minimum Load Requirement	Neutral	Colour Options
Single Switch		SSW01G	Zigbee	2A	5W	Not Required	WHITE **BLACK**
		SSW01G-WIFI	WiFi	10A	5W	Required	WHITE
Double Switch		SSW02G	Zigbee	2A	5W	Not Required	WHITE **BLACK**
		SSW02G-WIFI	WiFi	10A	5W	Required	WHITE
Triple Switch		SSW03G	Zigbee	2A	5W	Not Required	WHITE **BLACK**
		SSW03G-WIFI	WiFi	10A	5W	Required	WHITE
Quad Switch		SSW04G	Zigbee	2A	5W	Not Required	WHITE **BLACK**
		SSW04G-WIFI	WiFi	10A	5W	Required	WHITE
5 Gang Switch		SSW05G	Zigbee	10A	No Requirement	Required	WHITE
		SSW05G-WIFI	WiFi	10A	No Requirement	Required	WHITE
6 Gang Switch		SSW06G	Zigbee	10A	No Requirement	Required	WHITE
		SSW06G-WIFI	WiFi	10A	No Requirement	Required	WHITE

Description	Image	Product Code	Protocol	Rating	Minimum Load Requirement	Neutral	Colour Options	Power Monitoring
Dimmer		SSWD01G	Zigbee	250W	5W	Not Required	WHITE **BLACK**	NO
		SSWD01G-WIFI	WiFi	250W	5W	Required	WHITE	NO
Fan Controller		SSWF01G	Zigbee	150W	No Requirement	Required	WHITE	NO
		SSWF01G-WIFI	WiFi	150W	No Requirement	Required	WHITE	NO
Curtain & Blind Switch		SSW01GBC-ZB	Zigbee	10A	None	Required	WHITE	NO
		SSW01GBC-WIFI	WiFi	10A	None	Required	WHITE	NO
Single Power Point		SPP01G	Zigbee	10A	No Requirement	Required	WHITE	YES
		SPP01G-WIFI	WiFi	10A	No Requirement	Required	WHITE	YES
Double Power Point		SPP02G	Zigbee	10A	No Requirement	Required	WHITE **BLACK**	YES
		SPP02G-WIFI	WiFi	10A	No Requirement	Required	WHITE	YES
Double Power Point +USB		SPPUSB02G	Zigbee	10A	No Requirement	Required	WHITE **BLACK**	YES
		SPPUSB02G-WIFI	WiFi	10A	No Requirement	Required	WHITE	YES
Quad Power Point		SPP04G-ZB	Zigbee	10 A	No Requirement	Required	WHITE	YES
		SPP04G-WIFI	WiFi	10A	No Requirement	Required	WHITE	YES
Outdoor Power Point		SPP02GIP	Zigbee	10A	No Requirement	Required	WHITE	YES
		SPP02GIP-WIFI	WiFi	10A	No Requirement	Required	WHITE	YES
In-line Switch		SISW01	Zigbee	10A	No Requirement	Required	WHITE	NO
		SISW01-WIFI	WiFi	10A	No Requirement	Required	WHITE	NO
In-line Switch with Dimmer		SISWD01	Zigbee	250W	No Requirement	Required	WHITE	NO
		SISWD01-WIFI	WiFi	250W	No Requirement	Required	WHITE	NO

*Requires Ethernet connection to hub

Specification sheets available at www.ikuu.com.au

Wiring Accessories

Description	Image	Product Code	Protocol	Rating	Minimum Load Requirement	Neutral	Colour Options	Power Monitoring
Plug Base		SPBS01G	Zigbee	10A		Required	WHITE	NO
		SPBS01G-WIFI	WiFi	10A	No Requirement	Required	WHITE	NO
Switch Mechanism		SSWM	Zigbee	2A	5W	Not Required	WHITE	NO
		SSWM-WIFI	WiFi	2A	5W	Not Required	WHITE	NO
Switch Mechanism		SSWM10-ZB	Zigbee	10A	None	Required	WHITE BLACK	NO
		SSWM10-WIFI	WiFi	10A	None	Required	WHITE BLACK	NO
Rotary Dimmer Mechanism		SSWRM-ZB	Zigbee	-	5W	Not Required	WHITE	NO
		SSWRM-WIFI	WiFi	-	5W	Not Required	WHITE	NO
Single Two Way Switch		SSW01GX-ZB	Zigbee	10A	None	Required	WHITE	NO
		SSW01GX-WIFI	WiFi	10A	None	Required	WHITE	NO
Double Two Way Switch		SSW02GX-ZB	Zigbee	10A	None	Required	WHITE	NO
		SSW02GX-WIFI	WiFi	10A	None	Required	WHITE	NO
Handwave Switch		SSW01GHW-WIFI	Zigbee	10A	None	Required	WHITE	NO
		SSW01GHW-WIFI	WiFi	10A	None	Required	WHITE	NO
Combination Sensor		SSWMPIR-ZB	Zigbee	10A	None	Required	WHITE	NO
		SSWMPIR-WIFI	WiFi	10A	None	Required	WHITE	NO
In-line Switch with Dimmer		SISWD11-ZB	Zigbee	-	5W	Not Required	WHITE	NO
		SISWD11-WIFI	WiFi	-	5W	Not Required	WHITE	NO
In-line Switch		SISW11-ZB	Zigbee	-	None	Required	WHITE	NO
		SISW11-WIFI	WiFi	-	None	Required	WHITE	NO

Load Correction Device
MLC001

Reduces flickering of LED connected loads and increases the load of no-neutral switchgear

This product is designed to sit behind any momentary push button switch - increasing the finishes choices your customer has. You can still control the product via the push button, but also have app and voice control.

A   LOAD   N   P

Mains Active

Mains Neutral

Momentary Switch

Wiring Configurations

Simple Solutions
Provides effective solutions to complex wiring problems.

Scalable
Mercator Ikuü's broad product range makes it ideal for future scaling as clients' needs evolve over time.

Reliable Zigbee
Mercator Ikuü wiring accessories use Zigbee 3.0 for reliable, low latency, meshable networking.

Capable
Mercator Ikuü has been designed to be installed without complex and lengthy training.

Why is having such a broad range of products important?

Having access to all your products in the one app makes your system convenient to access, easier to manage, and provides more options for the way products interact with each other.

A smart switch connecting to a non-smart load

Smart Switch — SSW01G-WIFI

N A 1 2 3 LOOP

A
N — Non smart load

Replacing a traditional switch with no neutral at the switch

A
N
E

Batten holder

Smart Switch — SSW01G

1 2 3 LOOP A

Multi way switching is achieved through the automation section of the Mercator Ikuü app.

Multi Way Switch 1 — SSWM

LOAD A

Non-smart load

LOOP

A
N

Options for multiway switch 2:
- SSWM (req. load correction device)
- Zigbee switch (min. load req.)
- WiFi switch

Replacing a traditional switch with no neutral at the switch

Smart Switch — SSW01G

1 2 3 LOOP A

Non smart load

A
N

Replacing a traditional switch in a multi-way configuration

From This

A
N
E

Batten holder

Multi way switching is achieved through the automation section of the Mercator Ikuü app.

To This

Multi Way Switch 1 — SSW01G

2 3 LOOP A

Non-smart load

A
N

Multi Way Switch 2 — SSW01G-WIFI

N A 1 2 3 LOOP

Wi-Fi and Zigbee switches can be used on the same circuit. Zigbee switches have a minimum load requirement, when there is no load for the entire plate use a Wi-Fi switch or a Zigbee switch with a suitable load correction device. Contact our customer care team for more info.

53mm

74mm

115mm

Switches, power outlets and associated wiring must be installed by a licensed electrician.

Actual size shown.

Sensors

Austin Bullet Security Camera
SSC069

1080p with night mode.
Two-way audio. Stream 24/7.
100° viewing angle. Optional recording via SD card [16GB included].
12V DC Adaptor. IP65.

Motion sensors provide improved home security and convenience. Smart sensors have much greater control by the end-user compared to traditional options.

Wiring is completed identically to a conventional motion sensor, but provides a better end-user experience.

The app provides the end-user with control over the sensor state (off, auto or manual over-ride) as well as adjustments to the sensor sensitivity, minimum light level and light-on duration.

There is even a 1 hour countdown option where the light will remain on for one hour before reverting to auto sensor mode.

Gilbert Security Camera
SSC336

1080p with night mode.
Two-way audio. Stream 24/7. 100° viewing angle. Optional recording via SD card [not included].

Marion Security Camera
SSC009

1080p pan and tilt with night mode.
Two-way audio. Stream 24/7.
100° viewing angle. Optional recording via SD card [16GB included].

Video Doorbell
SDC8G

1080p with night mode.
Two-way audio. Stream 24/7.
120° viewing angle. Optional recording via SD card [16GB included].
12V DC Adaptor.

Battery Motion Sensor
SMA02P

zigbee

Detects and tracks motion.
Battery based for versatile installation locations. Offers historical tracking.

Motion Sensor
SXSEN002PIR

Detects and tracks motion.
12m detection range.
360° detection angle. IP20.

IP65 Motion Sensor
SXSEN003PIR

Detects and tracks motion.
12m detection range.
180° detection angle. IP65.

Product protocols as marked. Where a product is available in Wi-Fi and Zigbee the corresponding product codes are listed.

Ceiling Fans

MERCATOR ikuü

Universal Ceiling Fan Remote Kit
FRM86G

Have your ceiling fan come on before your home gets too hot

Compatible with AC ceiling fans.
Adjust fan speed. Turn fan light on or off.
Countdown timers. Includes receiver.

Minota DC Ceiling Fan

Brushed Chrome
FC620133GBC

Black
FC620133GBK

White
FC620133GWH

1320mm Brushed Chrome/Black/White.
Energy saving DC motor.
Adjust fan modes and direction.

Anova DC Ceiling Fan

Black
FC1140BKWIFI

White
FC1140WHWIFI

1320mm Black/White.
Energy saving DC motor.
Adjust fan modes and direction

Casa DC Ceiling Fan
FC790133GWW

1320mm White.
Energy saving DC motor.
Adjust fan modes and direction.

Minota DC Ceiling Fan with Light

Brushed Chrome
FC628133GBC

Black
FC628133GBK

White
FC628133GWH

1320mm Brushed Chrome.
Energy saving DC motor.
Adjust fan modes and direction.

warm white to daylight

Anova DC Ceiling Fan with Light

Black
FC1148BKWIFI

White
FC1148WHWIFI

1320mm Black/White.
Energy saving DC motor.
Adjust fan modes and direction

warm white to daylight

Casa DC Ceiling Fan with Light
FC798133GWW

1320mm White.
Energy saving DC motor.
Adjust fan modes and direction.

warm white to daylight

Lighting

All Mercator Ikuü lighting products and globes are dimmable.

Nikola Ceiling Light
SMCL01

CCT and dimmable. 345mm diameter. 22W 1700 lumens.

warm white to daylight

Ikon Ceiling Light
SMCL01-ZB

CCT and dimmable. 330mm diameter. 24W 2300 lumens.

warm white to daylight

Strip Lights
SMLD233   SMLD233-ZB
SMLD533   SMLD533-ZB

Dimmable, CCT, RGB. Comes in 2m and 5m lengths 200 lumens per metre.

warm white to daylight

16 million colours

Walter Downlights
SMD4106W   SMD4106W-ZB
SMD4109W   SMD4109W-ZB

Dimmable, CCT. 70mm and 92mm cut-outs. Wattage and lumens vary between models.

warm white to daylight

Walter Downlights
SMD4106W-RGB   SMD4106W-RGB-ZB
SMD4109W-RGB   SMD4109W-RGB-ZB

Dimmable, CCT, and RGB. 70mm and 92mm cut-outs. Wattage and lumens vary between models.

warm white to daylight

16 million colours

Donovan Panel Light
SMD9300

36W 3600 lumens. 1200mm x 300mm.

warm white to daylight

Ford Batten Light
SMI7040   SMI7040-WIFI

CCT and dimmable. 40W 4400 lumens. 1200mm.

warm white to daylight

Ridley Floodlight
SMFL20W   SMFL20W-ZB

Dimmable. 15W 1650 lumens.

Globes

Wireless Dimmer
SMA011-ZB

Control your Zigbee lighting products or up to 5 different scenes without needing to get out your phone.

Dimmer Mode
(Zigbee lighting only)

Press to switch on & off

Press & hold to select RGB colours

Press & rotate to set colour temperature

Rotate to change brightness

Scene Switch Mode
Set up to five customisable actions

38mm Ø

Magnetic mounting plate

Candle Globe
S9B15LED12
S9E14LED12

Dimmable. B15 and E14. 4W 380 lumens.

Fancy Round Globe
S9B15LED13
S9E14LED13

Dimmable. B15 and E14. 4W 380 lumens.

Classic Globe
S9B22LED9W   S9E27LED9W
S9B22LED9W-ZB   S9E27LED9W-ZB

Dimmable and CCT, E27 and B22. 9.5W 806 lumens.

warm white to daylight

Classic Globe
S9B22LED9W-RGB   S9B22LED9W-RGB-ZB
S9E27LED9W-RGB   S9E27LED9W-RGB-ZB

Dimmable, CCT and RGB E27 and B22. 9.5W 806 lumens.

warm white to daylight

16 million colours

Par38 Globe
S9E27LEDP38   S9E27LEDP38-ZB

Dimmable and CCT. 15W 1350 lumens.

warm white to daylight

GU10
S9GU10LED5-RGB *   S9GU10LED5-RGB-ZB
S9GU10LED5   S9GU10LED5-ZB

Dimmable, CCT and RGB*. 6W 420 lumens.

warm white to daylight

16 million colours

*Asterisked

Bluetooth Entrance Lock
SMA072-BT.

Capacitive fingerprint sensor and keypad for entry. Create temporary access codes. Unlock and manage users from your smartphone*. 4 tags and 2 keys included. Bluetooth local app control, no hub required.

Universal IR Remote
SBIR01

Can be used to control any IR device such as an air-con or TV. In-built temperature and humidity sensor. Each universal IR remote can control multiple IR devices within line of sight of the IR remote

Warm White and Colour Bud Light
ST384G

Adjust from a variety of effects modes

Powerboard
SPB04U

Control each socket individually
Master on/off switch
4.2A max USB output [combined]
10A 2400W max total load

Single Adaptor
SPLUG02

Includes power meter
Master on/off switch
50Hz, 10A max.

Outdoor Single Adaptor
SPLUG03

IP44 for outdoor use.
Includes scene switch.
M40 motor rating.

Compatibility

MERCATOR ikuü

Mercator Ikuü will be compatible with Matter.

Our team at Mercator are constantly looking for ways to evolve Mercator Ikuü for the future. Our focus is on giving our customers as many options as possible.

Our app will be getting updated to be able to pair Matter certified products and our support team are up to date on the latest information from CSA to assist our customers in using Matter with Mercator Ikuü.

matter

Make your Home Smarter

Experience the best of both worlds.

Take more control of your home with Mercator Ikuü products
that can be used with your non-smart appliances.

Caprice AC Ceiling Fan

Universal fan remote

Garage door control kit

Single adaptor

Airbond Pedestal Fan

Door Lock

Festoon Lights

Outdoor Power Point

Kettle

Distributed by:

Visit Our Website or Call

Achieve your home automation goals with the Mercator Ikuü system.

🔍 **ikuu.com.au**

View a range of guides, inspirational and instructional blog posts, videos and FAQs.

- Product advisors
- Pairing and app set-up guidance
- Voice control experts
- Commissioning training
- Automation coaches
- On-hand licensed electricians
- Electrical engineers
- Networking specialists
- Technical advisors

Call our customer care team to access a broad range of support:

1300 552 255

🔍 **mercator.com.au**   🔍 **ikuu.com.au**

works with **Hey Google**   **works with** **alexa**

MERCATOR
CREATE • INSPIRE • INNOVATE