

#### **Australia's Best Smoke Alarms**



## Red smoke alarms are quite simply – Australia's best smoke alarms.

A genuine alternative to Clipsal, PSA, Brooks and the cheap imports, Red is the only brand of smoke alarms in Australia that comes with a 10 year warranty across the entire range of products.




# Safety, Quality, and Reliability

All Red smoke alarms are photoelectric, of the highest quality and certified to Australian Standard AS3786-2014. Red smoke alarms are of such high quality that we have no fear of time – every Red smoke alarm comes with a 10 year warranty – guaranteeing our smoke alarms for the life of the smoke alarm.

Quality and reliability is at the heart of every Red smoke alarm. Our manufacturing facility has been manufacturing smoke alarms for the Australian market for more than 20 years and is certified by UL Laboratories – one of the world's largest testing and certifying companies.





#### **Red Smoke Alarms -**

Committed to quality. Committed to you.



#### Photoelectric Smoke Alarm

- ✓ 240V AC Mains Power
- ✓ 9V DC Battery Backup



#### Photoelectric Smoke Alarm

- ✓ 240V AC Mains Power
- ✔ Rechargeable Battery Backup



#### RF Wireless Mounting Base

- ✓ 240V AC Mains Power
- ✓ Wireless Interconnect between R240 & R240RC



#### Photoelectric Smoke Alarm

- ✓ No Wiring needed
- ✓ 10 yr. Lithium Battery RF

  Wireless Interconnect



#### Photoelectric Smoke Alarm

- ✓ Never need to charge Battery
- ✓ 10 yr. Lithium Battery




#### Photoelectric Smoke Alarm

- ✓ No Wiring needed
- ✓ 9V Replaceable Battery

## The **best invention** in smoke alarms .....since the **smoke alarm**

Finally a way to silence smoke alarms in the middle of the night

- Instantly silence alarms that are going off
- Instantly locate which alarm is false alarming
- Allows tenants to deal with false alarms - instantly and easily
- Silence alarms by simply pressing one button on the wall



#### **Designed for Property Managers and Tenants**

"As a property manager, I wouldn't upgrade the smoke alarms in any of my properties without including the Smoke Alarm Controller"



#### The Wireless Smoke Alarm Controller

Completely wireless with 10 year lithium 4 battery. No wiring required.

One button - three functions. Test, locate and silence.

¦₽,

Easy and quick installation.

Talks wirelessly to the installed Red smoke alarms.



#### Why a property manager should never upgrade the smoke alarms in a property without including the Smoke Alarm Controller

When upgraded to meet the new Queensland legislation, most properties will have between 4-6 interconnected smoke alarms - if one goes off, they all go off - an incredibly loud and annoying experience. What does a tenant do when this happens?

With the Smoke Alarm Controller, there is no need for the tenant to put up with the incredibly loud noise, no need to run around the house trying to find out which smoke alarm is causing the problem, no need to get on a ladder - the alarms can be silenced from the one wall mounted switch.

This will result in less maintenance calls to you (often in the middle of the night), less stress for your tenants and less cost for your owners. Tenants won't need to break a smoke alarm to stop it going off, saving replacement costs.

No property should have their smoke alarms upgraded and interconnected without including the Smoke Alarm Controller.




### **Quality Control**


Red smoke alarms have been designed to be of the highest quality with outstanding reliability. Manufactured in our state of the art smoke alarm manufacturing facility-quality is at the heart of everything we do.

Every Red smoke alarm has to pass countless quality control checks throughout the manufacturing process, ensuring that Red smoke alarms are the most reliable, functional smoke alarms in Australia. Quite simply-Red smoke alarms are Australia's best smoke alarms.









# Ordering, Delivery, and Trading Account

Orders placed before 2.00pm weekdays are dispatched the same day, and in the majority of cases you will receive your express delivery the next working day.

Businesses with an ABN can apply for a 30 day trading account with Red Smoke Alarms allowing you to order online, by email or by telephone and simply charge your account when checking out. You can also pay by all major credit cards, including AMEX.







### **30 Day Trading Account**

Businesses with an ABN can apply for a 30 day trading account with Red Smoke Alarms.



www.**redsmokealarms**.com.au



| Model                     | R240                                     | R240RC                                 | R10                  |
|---------------------------|--|--|----------------------|
| Туре                      | 240V                                     | 240V                                   | 10 Year              |
| Power Source              | 220-240 V.a.c. 50 Hz                     | 220-240 V.a.c. 50 Hz                   | 3V DC Sealed Battery |
| Secondary<br>Power Source | 9v DC carbon zinc<br>or alkaline battery | Rechargeable sealed<br>lithium battery |                      |
| Sensing Technology        | Photoelectric                            | Photoelectric                          | Photoelectric        |
| Battery Life              | 1 Year                                   | 10 Year                                | 10 Year              |
| Interconnection           | 40 alarms<br>20 alarms for wireless      | 40 alarms<br>20 alarms for wireless    |                      |
| Sound Level               | 85dB at 3m max                           | 85dB at 3m max                         | 85dB at 3m max       |
| Time Delay                | 10 minutes for hush                      | 10 minutes for hush                    | 10 minutes for hush  |
| Dimensions                | 140mm x 55mm                             | 140mm x 55mm                           | 140mm x 55mm         |
| Relative Humidity         | 5% to 95%                                | 5% to 95%                              | 5% to 95%            |
| Standards                 | AS 3786:2014                             | AS 3786:2014                           | AS 3786:2014         |

| Model                     | R10RF                  | RWB   | R9                     |
|---------------------------|------------------------|---|------------------------|
| Туре                      | 10 Year RF             | Wireless Base   | 9V DC Battery          |
| Power Source              | 3V DC Sealed Battery   | 220-240 V.a.c. 50 Hz  | 9V Replaceable Battery |
| Rated operational current |                        | 40mA maximum  | 10mA                   |
| Sensing Technology        | Photoelectric          | Photoelectric   | Photoelectric          |
| Battery Life              | 10 Year                | 10 Year   | <40mA at 9V            |
| Transmission frequency    | 20 alarms for wireless | 40 alarms   |                        |
| Operating distance        |                        | 30m indoor use line of sight, 100m in free field            |                        |
| Sound Level               | 85dB at 3m max         |   | 85dB at 3m max         |
| Remote Control Type       |                        | Only with wireless<br>remote control switch<br>with max 30m |                        |
| Time Delay Range          | 10 minutes for hush    | 2 minutes for pairing                                       | 10 minutes for hush    |
| Dimensions                | 140mm x 39mm           | 140mm x 55mm  | 100mm x 34mm           |
| Standards                 | AS 3786:2014           | AS 3786:2014  | AS 3786:2014           |



